


### Assessing fitness to drive



### **Amendments**

### Details of any changes from the last edition are listed below:

Minor revisions have been made to the wording in most chapters for uniformity of style and clarity.

#### Introduction

Inclusion of updated (April 2017) GMC guidance for doctors (p 9)

### Chapter 1 - Neurological disorders

Changes to relevant EU legislation (p 16)

Clarification of 'seizures secondary to an underlying cause' (p 16)

Clarification of Group 1 seizure concessions (p 17)

Clarification of transient loss of consciousness guidelines for solitary (p 20) and recurrent (p 22-23) episodes

Clarification of guidelines for cough syncope (p 24), hypersomnias (p 24) and dizziness (p 26)

Change to duration of licence withdrawal for Group 1 drivers with encephalitis and related conditions (p 28)

Clarification of standards for malignant brain tumours (p 32-34)

Clarification of standards for sub-arachnoid haemorrhage (p 37)

Replacement of 'Cranioplasty' with 'Craniectomy with cranioplasty' (p 43)

#### Chapter 2 – Cardiovascular disorders

Clarification of standards for implantable cardioverter defibrillator (p 52)

Clarification of standards for aortic aneurysm (p 54)

Clarification of standards for hypertrophic cardiomyopathy (p 57-58) with inclusion of the European Society of Cardiology Risk of Sudden Cardiac Death calculator (p 57 and Appendix C, p 117)

### Chapter 4 – Psychiatric disorders

Amendment to standards for mild cognitive impairment (p 78) and learning disability (p 80)

#### Appendix B

Re-written section on provoked seizures (p 114)

#### Appendix C

Inclusion of the European Society of Cardiology Risk of Sudden Cardiac Death calculator (p 117)

## **Contents**

Introduction	4
General information	6
Chapter 1 Neurological disorders	16
Chapter 2 Cardiovascular disorders	49
Chapter 3 Diabetes mellitus	68
Chapter 4 Psychiatric disorders	76
Chapter 5 Drug or alcohol misuse or dependence	85
Chapter 6 Visual disorders	93
Chapter 7 Renal and respiratory disorders	101
Chapter 8 Miscellaneous conditions	104
Appendix A: The legal basis for the medical standards	112
Appendix B: Epilepsy regulations and further guidance	113
Appendix C: Cardiovascular considerations	118
Appendix D: INF188/2 leaflet 'Information for drivers with diabetes' and DIABINF leaflet 'A guide to insulin treated diabetes and driving'	122
Appendix E: Important notes concerning psychiatric disorders	
Appendix F: Disabilities and vehicle adaptations	128
Appendix G: Mobility Centres and Driving Assessment Centres	129
Index	133

### Introduction

### The impact of medical conditions on driving

Driving involves a complex and rapidly repeating cycle that requires a level of skill and the ability to interact simultaneously with both the vehicle and the external environment.

Information about the environment is via the visual and auditory senses and is acted on by many cognitive processes (including short-and long-term memory, and judgement) to effect decisions for the driving task in hand. These decisions are enacted by the musculoskeletal system, which acts on the controls of the vehicle and its relation to the road and other users.

The whole process is coordinated by complex interactions involving behaviour, strategic and tactical abilities, and personality. In the face of illness or disability, adaptive strategies are important for maintaining safe driving.

Safe driving requires, among other elements, the involvement of:

- vision
- visuospatial perception
- hearing
- attention and concentration
- memory
- insight and understanding
- judgement
- adaptive strategies
- good reaction time
- planning and organisation
- ability to self-monitor
- sensation
- muscle power and control
- coordination.

Given these requirements, it follows that many body systems need to be functional for safe driving - and injury or disease may affect any one or more of these abilities. Notwithstanding this, many short term conditions do not require notification to the DVLA.

#### The guidelines and their development

The drivers' medical section within the DVLA deals with all aspects of driver licensing when there are medical conditions that impact, or potentially impact, on safe control of a vehicle.

To do this, the DVLA develops and works within guidance, and this publication summarises the national medical guidelines on fitness to drive. It is intended to assist doctors and other healthcare professionals in advising their patients:

- whether or not the DVLA requires notification of a medical condition
- what the licensing outcome from the DVLA's medical enquiries is likely to be.

#### Introduction

Some of the guidelines – for example, those around diabetes mellitus, epilepsy and vision – are set against legislative requirements (see Appendix A, page 112 for details) but others are the result of advice from the six Honorary Medical Advisory Panels to the Secretary of State, which cover:

- cardiology
- neurology
- diabetes
- vision
- alcohol or substance misuse and dependence
- psychiatry.

Each panel consists of acknowledged experts in the relevant area and includes DVLA and lay membership. The panels meet biannually and, between meetings, give continual advice to the Secretary of State and the DVLA.

The medical standards are continually reviewed and updated when indicated in light of recent developments in medicine generally, and traffic medicine in particular. The most up-to-date version of this guide will always be online on GOV.UK

# General information

JK driver licensing	. 7
Sudden disabling events	. 8
DVLA notification by drivers or healthcare professionals	. 9
How the DVLA responds to notification and applies the medical standards	12
Obtaining advice from the DVLA on fitness to drive	14
Seat belt use and exemption	15

### General information

### **UK** driver licensing

### Licensing and licence groups

The UK medical standards for driver licensing refer to Group 1 and Group 2 licence holders:

- Group 1 includes cars and motorcycles
- Group 2 includes large lorries (category C) and buses (category D).

In most cases, the medical standards for Group 2 drivers are substantially higher than for Group 1 drivers. This is because of the size and weight of the vehicle and the length of time an occupational driver typically spends at the wheel.

Drivers who were awarded a Group 1 category B (motor car) licence before 1st January 1997 have additional entitlement to categories C1 (medium-sized lorries, 3.5t to 7.5t) and D1 (minibuses, 9 to 16 seats, not for hire or reward). Drivers with this entitlement retain it only until their licence expires or it is revoked for medical reasons.

Under certain circumstances, volunteer drivers may drive a minibus of up to 16 seats without category D1 entitlement. The DVLA outlines the rules for such circumstances on the GOV.UK website (see **Driving a minibus**).

### Age limits for licensing

#### Group 1

Licences are normally valid until 70 years of age (the 'til 70 licence) unless restricted to a shorter duration for medical reasons.

There is no upper age limit to licensing, but after 70 renewal is required every 3 years.

A person in receipt of the mobility component of Personal Independence Payment can hold a driving licence from 16 years of age. (A person can't apply for PIP until their 16th birthday.)

#### Group 2

Group 2 entitlement to drive lorries (category C) or buses (category D) is normally given to people over 21 and is valid until the age of 45. Group 2 licences issued since 19th January 2013 are valid for a maximum of five years. Group 2 licences must be renewed every 5 years or at age 45 whichever is the earlier until the age of 65 when they are renewed annually without an upper age limit. Shorter licences may be issued for medical reasons.

There are exceptions, such as driving in the armed forces, and people of a minimum age of 18 can drive lorries and buses after gaining, or training towards, the Driver Certificate of Professional Competence (CPC).

All initial Group 2 licence applications require a medical assessment by a registered medical practitioner (recorded on the D4 form). The same assessment is required again at 45 years of age and on any subsequent reapplication.

### Police, fire, ambulance and health service driver licensing

The same medical standards apply for drivers of police, fire, coastquard, ambulance and health service vehicles as they do for all drivers holding Group 1 and 2 licences. Any responsibility for determining higher medical standards, over and above these licensing requirements, rests with the individual force, service or other relevant body.

Note, however, that the Secretary of State's Honorary Medical Advisory Panel on Diabetes and Driving has recommended that drivers with insulin-treated diabetes do not drive emergency vehicles. This takes account of the difficulties for an individual, regardless of whether they may appear to have exemplary glycaemic control, in adhering to the monitoring processes required when driving in response to an emergency.

### Taxi licensing

Responsibility for determining any higher standards and medical requirements for taxi drivers, over and above the driver licensing requirements, rests with Transport for London in the Metropolitan area, or the Local Authority in all other areas.

Advice on best practice for local authorities issuing taxi licences is given by the booklet, 'Fitness to drive: a guide for health professionals', published in 2006 by The Royal Society of Medicine (RSM) on behalf of the Department for Transport (ISBN reference 9781853156519).

This guide for local authorities recommends that taxi drivers should meet the same medical standards that Group 2 bus and lorry drivers must meet under the DVLA's requirements.

#### Interpretation of EU and UK legislation

The advice of the Honorary Medical Advisory Panels on the interpretation of EU and UK legislation and its appropriate application is made within the context of driver licensing.

### Sudden disabling events

Anyone with a medical condition likely to cause a sudden disabling event at the wheel, or who is unable to control their vehicle safely for any other reason, must not drive.

The DVLA defines the risk of a sudden disabling event as:

- 20% likelihood of an event in 1 year for Group 1 licensing
- 2% likelihood of an event in 1 year Group 2 licensing.

These figures, while originally defined by older studies, have since been revalidated by more recent risk-of-harm calculations.

### **DVLA** notification by drivers or healthcare professionals

Applicants and licence holders have a legal duty to:

- notify the DVLA of any injury or illness that would have a likely impact on safe driving ability (except some short-term conditions, as set out in this guide)
- respond fully and accurately to any requests for information from either the DVLA or healthcare professionals
- comply with the requirements of the issued licence, including any periodic medical reviews indicated by the DVLA.

They should also adhere, with ongoing consideration of fitness to drive, to prescribed medical treatment, and to monitor and manage the condition and any adaptations.

Doctors and other healthcare professionals should:

- advise the individual on the impact of their medical condition for safe driving ability
- advise the individual on their legal requirement to notify the DVLA of any relevant condition
- treat, manage and monitor the individual's condition with ongoing consideration of their fitness to drive
- notify the DVLA when fitness to drive requires notification but an individual cannot or will not notify the DVLA themselves.

Of course, this last obligation on professionals may pose a challenge to issues of consent and the relationship between patient and healthcare professional. The GMC and The College of Optometrists offer guidance on this which is summarised below. (Note that the GMC is currently considering updating this guidance.)

In law it is the duty of the licence holder or applicant to notify the DVLA of any medical condition that may affect safe driving. This notification by people with licences issued by the DVLA (because they live in England, Scotland or Wales) may be done via GOV.UK see Medical conditions, disabilities and driving.

For people with licences issued by the Driver and Vehicle Agency in Northern Ireland, the options for direct notification are given on the www.nidirect.gov.uk page on How to tell DVA about a medical condition.

Circumstances may arise in which a person cannot or will not notify the DVLA. It may be necessary for a doctor, optometrist or other healthcare professional to consider notifying the DVLA under such circumstances if there is concern for road safety, which would be for both the individual and the wider public.

The General Medical Council and The College of Optometrists offer clear guidance about notifying the DVLA when the person cannot or will not exercise their own legal duty to do so.

The GMC guidelines 2017 (reproduced with permission) state:

- 1. In our guidance Confidentiality: good practice in handling patient information we say:
  - 1. Trust is an essential part of the doctor-patient relationship and confidentiality is central to this. Patients may avoid seeking medical help, or may under-report symptoms, if they think that their personal information will be disclosed by doctors without consent, or without the chance to have some control over the timing or amount of information shared.
  - 60. Doctors owe a duty of confidentiality to their patients, but they also have a wider duty to protect and promote the health of patients and the public.

- 62. You should ask for a patient's consent to disclose information for the protection of others unless it is not safe or practicable to do so,1 or the information is required by law. You should consider any reasons given for refusal.
- 64. If it is not practicable to seek consent, and in exceptional cases where a patient has refused consent, disclosing personal information may be justified in the public interest if failure to do so may expose others to a risk of death or serious harm. The benefits to an individual or to society of the disclosure must outweigh both the patient's and the public interest in keeping the information confidential.
- 68. If you consider that failure to disclose the information would leave individuals or society exposed to a risk so serious that it outweighs patients' and the public interest in maintaining confidentiality, you should disclose relevant information promptly to an appropriate person or authority. You should inform the patient before disclosing the information, if it is practicable and safe to do so, even if you intend to disclose without their consent.

### About this guidance

2. Doctors owe a duty of confidentiality to their patients, but they also have a wider duty to protect and promote the health of patients and the public.<sup>2</sup> This explanatory guidance sets out the steps doctors should take if a patient's failure or refusal to stop driving exposes others to a risk of death or serious harm.

Fitness to drive: doctors' and patients' responsibilities

- 3. The Driver and Vehicle Licensing Agency (DVLA) in England, Scotland and Wales and the Driver and Vehicle Agency (DVA) in Northern Ireland are legally responsible for deciding if a person is medically unfit to drive. This means they need to know if a person holding a driving licence has a condition or is undergoing treatment that may now, or in the future, affect their safety as a driver.
- 4. The driver is legally responsible for telling the DVLA or DVA about any such condition or treatment. Doctors should therefore alert patients to conditions and treatments that might affect their ability to drive and remind them of their duty to tell the appropriate agency. Doctors may, however, need to make a decision about whether to disclose relevant information without consent to the DVLA or DVA in the public interest if a patient is unfit to drive but continues to do so.

### Assessing a patient's fitness to drive

- 5. When diagnosing a patient's condition, or providing or arranging treatment, you should consider whether the condition or treatment may affect their ability to drive safely. You should:
  - refer to the DVLA's guidance Assessing fitness to drive a guide for medical professionals 4, which includes information about disorders and conditions that can impair a patient's fitness to drive
  - seek the advice of an experienced colleague or the DVLA's or DVA's medical adviser if you are not sure whether a condition or treatment might affect a patient's fitness to drive<sup>5</sup>.

### Reporting concerns to the DVLA or DVA

- 6. If a patient has a condition or is undergoing treatment that could impair their fitness to drive, you should:
  - a. explain this to the patient and tell them that they have a legal duty to inform the DVLA or DVA

- b. tell the patient that you may be obliged to disclose relevant medical information about them, in confidence, to the DVLA or DVA if they continue to drive when they are not fit to do so
- c. make a note of any advice you have given to a patient about their fitness to drive in their medical record.
- 7. If a patient is incapable of understanding this advice for example, because of dementia - you should inform the DVLA or DVA as soon as practicable.
- 8. If a patient refuses to accept the diagnosis, or the effect of the condition or treatment on their ability to drive, you can suggest that they seek a second opinion, and help arrange for them to do so. You should advise the patient not to drive in the meantime. As long as the patient agrees, you may discuss your concerns with their relatives, friends or carers.
- 9. If you become aware that a patient is continuing to drive when they may not be fit to do so, you should make every reasonable effort to persuade them to stop. If you do not manage to persuade the patient to stop driving, or you discover that they are continuing to drive against your advice, you should consider whether the patient's refusal to stop driving leaves others exposed to a risk of death or serious harm. If you believe that it does, you should contact the DVLA or DVA promptly and disclose any relevant medical information, in confidence, to the medical adviser.
- 10. Before contacting the DVLA or DVA, you should try to inform the patient of your intention to disclose personal information. If the patient objects to the disclosure, you should consider any reasons they give for objecting. If you decide to contact the DVLA or DVA, you should tell your patient in writing once you have done so, and make a note on the patient's record.

Responding to requests for information from the DVLA or the DVA

11. If you agree to prepare a report or complete or sign a document to assist the DVLA's or the DVA's assessment of a patient's fitness to drive, you should do so without unreasonable delay.

See the full guidance at the GMC website, Confidentiality: patients' fitness to drive and reporting concerns to the DVLA or DVA (2017).

The College of Optometrists offers similar guidance, available in full at its website under the confidentiality section of its Guidance for Professional Practice (use the subsection on 'disclosing information about adults without their consent').

This guidance includes the following (reproduced with permission of The College of Optometrists):

(C73) If you think the patient may be engaging in an activity where they pose a very real risk of danger to the public or themselves, such as the patient driving when they are not fit to drive, but you are not sure whether you should act, ask yourself:

- 1. what might the outcome be in the short or longer term if I do not raise my concern?
- 2. how could I justify why I did not raise the concern?

(C74) If you decide to proceed, you should:

- 1. first advise the patient that they are unfit to engage in the activity in question and give the reasons
- 2. advise the patient to tell the appropriate authority
- 3. put your advice in writing to the patient, if appropriate
- 4. keep a copy of any correspondence to the patient on the patient record.

### Notification can be provided by healthcare professionals in the above circumstances, in confidence:

medadviser@dvla.gsi.gov.uk

Telephone: 01792 782337 Medical Business Support D7 West **DVLA** Swansea SA67JL

### How the DVLA responds to notification and applies the medical standards

Once the DVLA is notified of a medical condition and obtains consent, it will make medical enquiries as required.

The Secretary of State (in practice, the DVLA) is unable to make a licensing decision until all the relevant medical information is available and has been considered. Exceptions to this do exist, specifically the DVLA's ability to revoke a licence immediately in the interests of road safety and without detailed enquiry if individual case circumstances dictate this.

The DVLA's medical enquiries procedure is generally a two-stage process:

- 1. Information on the medical condition is sought from the licence holder or applicant, either by paper questionnaire or online
- 2. Information is sought from relevant healthcare professionals, either by questionnaire or provision of medical notes.

In some circumstances the DVLA will require independent review by a DVLA-appointed doctor or optician/optometrist. Depending on individual circumstances, a licence applicant may also require a driving assessment and/or appraisal.

#### **Driving during medical enquiries**

The time taken to obtain all necessary reports can be lengthy but a licence holder normally retains entitlement to drive under Section 88 of the Road Traffic Act 1988. However, a driver whose last licence was revoked or refused because of a medical condition or is a High Risk Offender re-applying after a drink/drive disqualification from 1 June 2013 would not, however, be eligible to drive until they are issued with a new licence.

The driver may be covered to drive but this carries implications for road safety in that the licence holder may continue to drive with a medical condition that, on completion of the DVLA's enquiries, may ultimately result in licence withdrawal.

It is for the patient to assure themself that they are fit to drive. Medical professionals asked for an opinion about a patient's fitness to drive in these circumstances should explain the likely outcome by reference to this guide. The final decision in relation to driver licensing will, however, rest with the DVLA.

By reference to the DVLA's guidance, the doctor in charge of an individual's care should be able to advise the driver whether or not it is safe for them to continue to drive during this period.

Patients must be reminded that if they choose to ignore medical advice to stop driving this may affect their insurance cover. Doctors are advised to formally and clearly document the advice given.

The DVLA is solely reliant on doctors and other healthcare professionals for the provision of medical information. To make timely licensing decisions that impact on the safety of the individual and the public, the DVLA needs information to be provided as quickly as possible.

When the DVLA holds all relevant information, a decision can then be made as to whether or not the driver or applicant satisfies the national medical guidelines and the requirements of the law. A licence is accordingly issued or refused/revoked.

### **Outcome of medical enquiries**

The DVLA does not routinely tell doctors of the outcome of a medical enquiry. Drivers are always informed of the outcome, either by being issued a licence or by notification of a refusal or revocation.

For cases in which the driver may not have the insight and/or memory function to abide by the refusal or revocation of their licence - for example, in cognitive impairment, dementia or a mental health condition - the DVLA would usually send a decision letter to the GP.

When a notification is received from a doctor in accordance with the GMC guidelines, unless relevant to one of these conditions affecting mental capacity, the DVLA will send an acknowledgement letter only to the GP, to confirm receipt of the original notification.

### Medical notification form for use by healthcare professionals

The medical notification form for use when patients cannot or will not notify the DVLA themselves is available, for use by healthcare professionals only, on GOV.UK. This form is only for patients living in England, Scotland or Wales who hold a driving licence issued by the DVLA.

The completed form should be returned to:

medadviser@dvla.gsi.gov.uk

Medical Business Support

D7 West

**DVLA** 

Swansea

SA67JL

For patients living in Northern Ireland who cannot or will not self-notify, please use these contact details:

dva@doeni.gov.uk

Telephone: 0300 200 7861

**Drivers Medical Section** 

**Driver and Vehicle Agency** 

Castlerock Road

Waterside

Coleraine

BT51 3TB

Please fill in all parts of the DVLA's medical notification form in relation to the medical condition of your patient. Parts A and B are for your patient's and your own details, including your signed and dated declaration that all details are correct to the best of your knowledge.

Part C of the form should be completed in all fields and providing as much detail as possible regarding your patient's medical condition. You may send clinic letters with this notification, to help provide details of your patient's medical condition or if you think it will aid the licensing decision.

Please note, your patient can request copies of any medical documents held at the DVLA unless you specify in writing that releasing this information could cause serious harm to your patient.

The DVLA cannot be responsible for the payment of any fee associated with notification.

### Obtaining advice from the DVLA on fitness to drive

### Contacting the DVLA's medical advisers

Doctors and other healthcare professionals are always welcome to write, fax, email or speak (by telephone between 10.30am and 1pm from Monday to Friday) to one of the DVLA's medical advisers.

Advice may be sought about a particular driver identified by a unique reference number, or about fitness to drive in general.

If the telephone service is busy, you will be able to leave a message for one of the medical advisers to call back.

The contact details for such enquiries in England, Scotland and Wales are:

medadviser@dvla.gsi.gov.uk

Telephone: 01792 782337

Fax: 01792 761104

The Medical Adviser **Drivers Medical Group** 

**DVLA** Swansea SA99 1DA

#### Please note that this service is for medical professionals only.

The contact details for enquiries in Northern Ireland are:

Telephone: 0300 200 7861

**Drivers Medical Section** 

**Driver and Vehicle Agency** 

Castlerock Road

Waterside

Coleraine

BT51 3TB

### Seat belt use and exemption

The law makes it compulsory for car occupants to wear seatbelts where fixed. Exemption on medical grounds requires a valid exemption certificate to confirm that, in a medical practitioner's view, exemption is justified. Exemption will require careful consideration in view of extensive evidence for the safety implications of seatbelts in reducing casualty rates.

The guidance leaflet 'Medical exemption from compulsory seat belt wearing' is on GOV.UK.

# **Neurological** disorders

Serious neurological disorders	17
Epilepsy	18
Transient loss of consciousness ('blackouts')	21
Primary/central hypersomnias	27
Chronic neurological disorders	28
Parkinson's disease	29
Dizziness	29
Stroke and transient ischaemic attack (TIA)	30
Carotid artery stenosis	31
Acute encephalitic illness and meningitis	31
Transient global amnesia	32
Arachnoid cysts	32
Colloid cysts	32
Pituitary tumour	33
Benign brain tumours	33
Malignant brain tumours	35
Acoustic neuroma/schwannoma	37
Brain biopsy	37
Traumatic brain injury	37
Subdural haematoma	38
Subarachnoid haemorrhage	39
Intracranial aneurysm	41
Arteriovenous malformation (AVM)	42
Dural arteriovenous fistula	44
Cavernous malformation	44
Intracerebal abscess/subdural empyema	46
Craniectomy and subsequent cranioplasty	46
Hydrocephalus	47
Intaventricular shunt or extraventricular drain	47
Neuroendoscopic procedures	47
Intracranial pressure monitoring device	48
Implanted electrodes	48

### Serious neurological disorders

Changes to Annex III to the EC Directive 2006/126/EC require that driving licences may not be issued to, or renewed for, applicants or drivers who have a serious neurological disorder unless there is medical support from their doctors.

A serious neurological disorder is considered as:

any condition of the central or peripheral nervous system presently with, or at risk of progression to a condition with, functional (sensory (including special senses), motor and/or cognitive) effects likely to impact on safe driving.

Further information relating to specific functional criteria is provided on:

- specific neurological conditions in this chapter (Neurology)
- cognitive and related conditions in Chapter 4
- visual conditions and disorders in Chapter 6
- excessive sleepiness in Chapter 8.

When considering licensing for these customers, the functional status and risk of progression will be considered. A short term medical review licence is generally issued when there is a risk of progression.

### **Epilepsy**

Epileptic seizures are the most common medical cause of collapse at the wheel.

Appendix B, page 113 sets out the epilepsy regulations in current legislation.

The following definitions apply:

- epilepsy encompasses all seizure types, including major, minor and auras
- if within a 24-hour period more than one epileptic event occurs, these are treated as a single event for the purpose of applying the epilepsy regulations.

The following features, in both Group 1 car and motorcycle and Group 2 bus and lorry drivers, are considered to indicate a good prognosis for a person under care for a first unprovoked or isolated epileptic seizure:

- no relevant structural abnormalities on brain imaging
- no definite epileptiform activity on EEG
- support of a neurologist
- annual risk of seizure considered to be 2% or lower for bus and lorry drivers.

	Group 1 car and motorcycle	Group 2 bus and lorry
Epilepsy or multiple unprovoked seizures	Must not drive and must notify the DVLA.  Provided the licence holder or applicant satisfies the regulations, a review licence will usually be issued. If there have been no seizures for 5 years (with medication if necessary), and no other disqualifying condition, a 'til 70 licence is usually restored.	Must not drive and must notify the DVLA.  The person with epilepsy must remain seizure-free for 10 years (without epilepsy medication) before licensing may be considered.
First unprovoked epileptic seizure/ isolated seizure	Must not drive and must notify the DVLA.  Driving will be prohibited for 6 months from the date of the seizure.  Clinical factors that indicate that there may be an increased risk of seizures require the DVLA not to consider licensing until after 12 months from the date of the first seizure.	Must not drive and must notify the DVLA.  Driving will be prohibited for 5 years from the date of the seizure.  If, after 5 years, a neurologist has made a recent assessment and clinical factors or investigation results (for example, EEG or brain scan) indicate no annual risk greater than 2% of a further seizure, the licence may be restored.  Such licensing also requires that there has been no need for epilepsy medication throughout the 5 years up to the date of the licence being restored.  If the prospective annual risk of further seizure is greater than 2%, the epilepsy regulations may apply.

continued

	Group 1 car and motorcycle	Group 2 bus and lorry	
Seizures secondary to underlying cause	Must not drive and must notify the DVLA.  In all cases of an epilepsy diagnosis, the epilepsy regulations apply to Group 1 car and motorcycle drivers.  This includes all cases of single seizure in which a primary cerebral cause is present and the likelihood of recurrence cannot be excluded.  When seizures have occurred at the time of an acute head injury or intracranial surgery these may be excepted from the epilepsy regulations.  When seizures have occurred at the time of an intracranial venous thrombosis there must be 6 months without seizure before driving may resume.	Must not drive and must notify the DVLA.  In all cases in which a 'liability to epileptic seizure' – either primary or secondary – has been diagnosed, the specific epilepsy regulations apply for Group 2 bus and lorry drivers.  The only possible exception is a seizure that occurred immediately at the time of an acute head injury or intracranial surgery, not some time after, and/or 'no liability to seizure' has been demonstrated.  If there is an annual risk of seizure following head injury or intracranial surgery, it must have fallen to 2% or lower before the DVLA may license	
Withdrawal of epilepsy medication	bus or lorry driving.  See the special considerations below, and Appendix B, page 113 gives full guidance on withdrawing epilepsy medication (see page 113).		
Provoked seizures (except related to use of alcohol or illicit drugs)	See the special considerations in Appendix B (page 113) and 'Provoked seizures (page 117).		
Dissociative seizures	Must not drive and must notify the DVLA.  Licensing may be considered once episodes have been satisfactorily controlled for 3 months and there are no relevant mental health issues. If there are high risk features, 3 months may be required with a specialist opinion.	Must not drive and must notify the DVLA.  Licensing may be considered once episodes have been satisfactorily controlled for 3 months and there are no relevant mental health issues. If there are high risk features, 6 months may be required with a specialist opinion.	
Two unprovoked seizures more than 5 years apart	The epilepsy regulations will apply.	The epilepsy regulations will apply.	

continued

### Special considerations under the epilepsy regulations

### Group 1 car and motorcycle

The following special considerations apply under the epilepsy regulations for drivers of cars and motorcycles:

- 1. The person with epilepsy may qualify for a driving licence if they have been free from any seizure for 1 year. This needs to include being free of minor seizures and epilepsy signs such as limb jerking, auras and absences. Episodes not involving a loss of consciousness are included.
- 2. The person who has had a seizure while asleep must stop driving for 1 year from the date of the seizure unless point 3 or 5 apply.
- 3. Relicensing may be granted if the person, over the course of at least 1 year from the date of the first sleep seizure, establishes a history or pattern of seizures occurring only ever while first asleep.
- 4. Relicensing may be granted if the person, over the course of at least 1 year from the date of the first seizure, establishes a history or pattern of seizures which affect neither consciousness nor cause any functional impairment. The person must never have experienced any other type of unprovoked seizure.
- 5. If a pattern of 3 years of purely asleep seizures after a period of awake or awake and asleep can be demonstrated, a licence can be issued.
  - Regardless of preceding seizure history, if a person establishes a pattern of asleep seizures only (all seizures had onset during sleep), starting at least three years prior to licence application and there have been no other unprovoked seizures during those three years, a licence may be issued.

Overriding all of the above considerations is that the licence holder or applicant with epilepsy must not be regarded as a likely source of danger to the public while driving and that they are compliant with their treatment and follow up.

If the licensed driver has any epileptic seizure, they must stop driving immediately unless considerations 2, 3 or 4 can be met, and they must notify the DVLA.

If a licence is issued under consideration 3 or 4 and the driver has a different type of seizure, they lose the concession, must stop driving, and must notify the DVLA.

#### Isolated seizures

The person who has a first unprovoked epileptic seizure (isolated seizure) will usually qualify for a driving licence if they are free from any further seizure for 6 months. This is provided there are no other clinical factors or results of investigations that may increase the risk of a further seizure, in which case 12 months is required before driving may be relicensed.

### Withdrawal of epilepsy medication (see page 116 and also appendix on page 113)

Individuals should not drive whilst anti-epilepsy medication is being withdrawn and for 6 months after the last dose.

If a seizure occurs as a result of a physician-directed reduction or change in epilepsy medication, the epilepsy regulations state that a licence must be revoked for 12 months. Relicensing may be considered earlier than this if previously effective medication has been reinstated for 6 months, provided there has been no further seizure in the 6 months since restarting the medication.

### Group 2 bus and lorry

Drivers of buses and lorries must satisfy all of the following conditions under the epilepsy regulations. They must:

- hold a full ordinary driving licence
- have been free of epileptic seizures for the last 10 years
- not have taken any medication to treat epilepsy during these 10 years (there are thus no special considerations for withdrawal)
- have no continuing increased risk of epileptic seizures
- not be a source of danger whilst driving.

#### Isolated seizure

Drivers of buses and lorries must satisfy all of the following conditions in relation to an isolated seizure. They must:

- hold a full ordinary driving licence
- have been free of epileptic attacks for the last 5 years
- not have taken any medication to treat epilepsy
- have undergone a recent assessment by a neurologist
- have no continuing increased risk of seizures.

### Transient loss of consciousness ('blackouts')

### - or lost/altered awareness

Transient loss of consciousness (TLoC) or 'blackout' is very common – it affects up to half the population in the UK at some point in their lives. An estimated 3% of A&E presentations and 1% of hospital admissions are due to TLoC.

Road traffic collisions resulting from blackouts are two or three times more common than those resulting from seizures.

Recurrent TLoC (more than one isolated event), not including syncope, is uncommon but always requires detailed medical assessment.

There are several causes of transient loss of consciousness:

Syncope	See pages 23-27 of this chapter
Seizure/epilepsy	See pages 18-20 of this chapter
Hypoglycaemia	See page 69 for Chapter 3 (diabetes mellitus)
Drug/alcohol	See page 85 for Chapter 5 (drugs or alcohol misuse or dependance)
Sleep disorders	See page 105, 'excessive sleepiness' in Chapter 8 (miscellaneous)
Undetermined	See pages 23-27 of this chapter, 'syncope'
Medication	See page 111, 'medication effects' in Chapter 8 (miscellaneous)

In relation to TLoC, three features are of note to medical practitioners:

- provocation
- posture
- prodrome.

In relation to road safety, however, the two most important features are:

- prodrome are there warning signs sufficient in both nature and duration?
- posture do the episodes of TLoC occur while sitting?

A prodrome must allow time for a driver to find a safe place to stop before losing consciousness. A prodrome is reliable if the signs are clear, consistent across all events and provide sufficient duration to find a safe stop, or unreliable if these are absent.

Licence holders or applicants should be informed that they must notify the DVLA when TLoC occurs while sitting.

For syncope occurring while standing or sitting, the following factors indicate high risk:

- abnormal ECG
- clinical evidence of structural heart disease.

Further investigations such as 48-hour ambulatory ECG, echocardiography and exercise testing may be indicated after specialist opinion has been sought.

### Transient loss of consciousness – solitary episode

	Group 1 car and motorcycle	Group 2 bus and lorry		
Typical vasovagal syncope				
While standing	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.		
While sitting	May drive and need not notify the DVLA if there is an avoidable trigger which will not occur whilst driving.  Otherwise must not drive until annual risk of recurrence is assessed as below 20%.	Must not drive for 3 months and must notify the DVLA. Will require investigation for identifiable and/or treatable cause.		
Syncope with avoida (for cough syncope see	able trigger whilst driving or otherw page 27)	vise reversible cause		
While standing	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.		
While sitting	Must not drive for 4 weeks.  Driving may resume after 4 weeks only if the cause has been identified and treated.  Must notify the DVLA if the cause has not been identified and treated.	Must not drive for 3 months.  Driving may resume after 3 months only if the cause has been identified and treated.  Must notify the DVLA if the cause has not been identified and treated.		
Unexplained syncope, including syncope without reliable prodrome				
This diagnosis may apply only after appropriate neurological and/or cardiological opinion and investigations have detected no abnormality.				
While standing or sitting  Must not drive and must notify the DVLA.  If no cause has been identified, the licence will be refused or revoked for 6 months.		Must not drive and must notify the DVLA.  If no cause has been identified, the licence will be refused or revoked for 12 months.		
Cardiovascular, excluding typical syncope				
While standing or sitting	Must not drive and must notify the DVLA.  Driving may be allowed to resume after 4 weeks if the cause has been identified and treated.  If no cause has been identified, the licence will be refused or revoked for 6 months.	Must not drive and must notify the DVLA.  Driving may be allowed to resume after 3 months if the cause has been identified and treated.  If no cause has been identified, the licence will be refused or revoked for 12 months.		

#### Blackout with seizure markers

This category is for those where on the balance of probability there is clinical suspicion of a seizure but no definite evidence. Individuals will require assessment by an appropriate specialist and investigation, for example EEG and brain scan, where indicated.

The following factors indicate a likely seizure:

- loss of consciousness for more than 5 minutes
- amnesia longer than 5 minutes
- injury
- tongue biting
- incontinence
- post ictal confusion
- headache post attack.

### While standing or sitting

Must stop driving and notify the DVLA.

6 months off driving from the date of the episode.

If there are factors that would lead to an increased risk of recurrence, 1 year off driving would be required.

Must stop driving and notify the DVLA

5 years off driving from the date of the episode

### Transient loss of consciousness – recurring episodes

Recurrent episodes of TLoC are less common than isolated episodes but the relevance to increased risk in driving cannot be overemphasised.

Recurrent TLoC is most commonly due to recurrent syncope, occurring in around 20% to 30% of patients. Recurrence of syncope is usually within three years of the first episode, and in over 80% of these cases there has been at least one additional episode within two years of the first episode.

With concern for road safety the two most important features of temporary loss of consciousness are:

- prodrome are there warning signs sufficient in both nature and duration?
- posture do the episodes of TLoC occur while sitting?

A prodrome must allow time for a driver to find a safe place to stop before losing consciousness. A prodrome is reliable if the signs are clear, consistent across all events and provide sufficient duration to find a safe stop, or unreliable if these are absent.

Licence holders or applicants should be informed that they must notify the DVLA when transient loss of consciousness occurs while sitting.

	Group 1 car and motorcycle	Group 2 bus and lorry	
Typical vasovagal syncope with identifiable consistent prodrome			
While standing	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.	
While sitting	Must not drive and must notify the DVLA.  Must not drive until annual risk of recurrence is assessed as below 20%.  May drive and need not notify the DVLA if there is an avoidable trigger which will not occur whilst driving.  Otherwise must not drive until annual risk of recurrence is assessed as below 20%.	Must not drive and must notify the DVLA.  Must not drive until annual risk of recurrence is assessed as below 2%.  Will require investigation for identifiable and/or treatable cause.	
Syncope with avoida (for cough syncope see	able trigger whilst driving or otherv page 27)	vise reversible cause	
While standing	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.	
While sitting	Must not drive for 4 weeks.  Driving may resume after 4 weeks only if the cause has been identified and treated.  Must notify the DVLA if the cause has not been identified and treated.	Must not drive for 3 months.  Driving may resume after 3 months only if the cause has been identified and treated.  Must notify the DVLA if the cause has not been identified and treated.	

For syncope occurring while standing or sitting, the following factors indicate high risk:

- abnormal ECG
- clinical evidence of structural heart disease.

Further investigations such as 48-hour ambulatory ECG, echocardiography and exercise testing may be indicated after specialist opinion has been sought.

### Group 1 car and motorcycle

Group 2 bus and lorry

Unexplained syncope, including syncope without reliable prodrome

This diagnosis may apply only after appropriate neurological and/or cardiological opinion and investigations have detected no abnormality.

### While standing or sitting

Must not drive and must notify the DVLA.

If no cause has been identified, the licence will be refused or revoked for 12 months.

Must not drive and must notify the DVLA.

If no cause has been identified, the licence will be refused or revoked for 10 years.

### Cardiovascular but excluding typical vasovagal syncope

### While standing or sitting

Must not drive and must notify the DVI A

If there are factors that would lead to an increased risk of recurrence, then 1 year off driving would be required.

Must not drive and must notify the DVLA.

Driving may resume after 3 months only if the cause has been identified and treated.

If no cause has been identified, the licence will be refused or revoked for 12 months.

#### Blackout with seizure markers

This category is for those where on the balance of probability there is clinical suspicion of a seizure but no definite evidence. Individuals will require assessment by an appropriate specialist and investigation, for example EEG and brain scan, where indicated.

### While standing or sitting

Must stop driving and notify the DVLA.

Depending on previous medical history, the standards for isolated seizure or epilepsy will apply.

Must stop driving and notify the DVLA.

Depending on previous medical history, the standards for isolated seizure or epilepsy will apply.

### Cough syncope or presyncope

Must not drive and must notify the DVLA.

Must not drive for 6 months following a single episode and for 12 months following multiple episodes over 5 years.

Reapplication may be considered at an earlier point if all of the following can be satisfied:

- any underlying chronic respiratory condition is well controlled
- for smokers, reliable cessation of smoking has been achieved and will be continued after relicensing
- body mass index is below 30
- any gastro-oesophageal reflux is treated.

Must not drive and must notify the DVLA.

Must not drive for 5 years from the date of the last episode.

Reapplication may be considered after 1 year if the all the following can be satisfied:

- any underlying chronic respiratory condition is well controlled
- for smokers, reliable cessation of smoking has been achieved and will be continued after relicensing
- body mass index is below 30
- any gastro-oesophageal reflux is treated
- confirmation of these by a specialist doctor.

### **Primary/central hypersomnias**

### - including narcolepsy

For other causes of excessive sleepiness, see Chapter 8 (miscellaneous conditions).

### Group 1 car and motorcycle

Must not drive and must notify the DVLA.

A licence may be reissued only when there has been satisfactory symptom control with appropriate treatment for at least 3 to 6 months.

When an applicant or licence holder is not on appropriate treatment, relicensing may be considered after satisfactory objective assessment of maintained wakefulness, such as the Osler test.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Relicensing may be considered following a 6 month period of stability, subject to satisfactory objective assessment, performed by a specialist, of maintained wakefulness, such as the Osler test.

Must also satisfy standards as for Group 1 licensing.

### **Chronic neurological disorders**

### - including multiple sclerosis and motor neurone disease

Any chronic neurological disorder that may affect vehicle control because of impaired coordination and muscle strength.

For information on in-car driving assessments for those with a disability, see Appendix G (page 129).

Group 1 car and motorcycle	Group 2 bus and lorry
Must notify the DVLA.  May drive as long as safe vehicle control is maintained at all times.  A licence valid for 1, 2, 3 or 5 years may be issued provided medical enquiries by the DVLA confirm that driving performance is not impaired.  The licence may specify a restriction to cars with certain controls.	Must notify the DVLA.  May drive as long as safe vehicle control is maintained at all times.  A licence will be refused or revoked if the individual's condition is progressive or disabling.  If driving is not impaired and the underlying condition is stable, licensing will be considered on an individual basis subject to satisfactory medical reports and annual review.

### Parkinson's disease

### Group 1 car and motorcycle

### Group 2 bus and lorry



Must notify the DVLA.

May drive as long as safe vehicle control is maintained at all times.

If the individual's condition is disabling and/or there is clinically significant variability in motor function, the licence will be refused or revoked.

If driving is not impaired, licensing will be considered subject to satisfactory medical reports. A licence may be issued subject to regular review.

Must notify the DVLA.

May drive as long as safe vehicle control is maintained at all times.

If the individual's condition is disabling and/or there is clinically significant variability in motor function, the licence will be refused or revoked.

If driving is not impaired, licensing will be considered subject to satisfactory medical reports and assessment. A licence may be issued subject to annual review.

### **Dizziness**

### liability to sudden and unprovoked or unprecipitated episodes of disabling dizziness

Sudden is defined as 'without sufficient warning to allow safe evasive action when driving' and disabling is defined as 'unable to continue safely with the activity being performed'.

### Group 1 car and motorcycle

### Group 2 bus and lorry



Must not drive on presentation and must notify the DVLA.

When satisfactory control of symptoms has been achieved, relicensing may be considered for restoration of the 'til 70 licence.

Must not drive on presentation and must notify the DVLA.

If there are sudden and disabling symptoms, the licence will be refused or revoked.

If an underlying diagnosis is likely to cause recurrence, the patient must be asymptomatic and completely controlled for 1 year from an episode before reapplying for their licence.

### Stroke and transient ischaemic attack (TIA)

### - including amaurosis fugax

For Group 2 bus and lorry drivers, the guidance is the same whether concerning stroke, or single or multiple transient ischaemic attack (TIA).

	Group 1 car and motorcycle	Group 2 bus and lorry
Stroke	Must not drive but may not need to notify the DVLA.  Driving may resume after 1 month if there has been satisfactory clinical recovery.  The DVLA does not need to be notified unless there is residual neurological deficit 1 month after the episode and, in particular:  visual field defects  cognitive defects and impaired limb function.  Minor limb weakness alone after a stroke will not require notification to the DVLA unless restriction to certain types of vehicle or adapted controls may be needed. With adaptations, severe physical impairment may not be an obstacle to driving.  Seizures occurring at the time of a stroke or TIA, or in the ensuing 24 hours, may be treated as provoked for licensing purposes, provided there is no previous history of seizure or cerebral pathology.	Must not drive and must notify the DVLA.  A licence will be refused or revoked for 1 year following a stroke or TIA. Relicensing after 1 year may be considered if:  there is no debarring residual impairment likely to affect safe driving and  there are no other significant risk factors.  Licensing may be subject to a satisfactory medical report, including results of exercise ECG testing.  If imaging evidence shows less than 50% carotid artery stenosis and there is no previous history of cardiovascular disease, a licence may be issued without the need for functional cardiac assessment.  Patients with recurrent TIAs or strokes will be required to undergo functional cardiac testing.
Single transient ischaemic attack	Must not drive for 1 month but need not notify the DVLA.	
Multiple transient ischaemic attack	Must not drive and must notify the DVLA.  Multiple TIAs over a short period will require no driving for 3 months.  Driving may resume after 3 months if there have been no further TIAs.	

### Carotid artery stenosis and amyloid spells

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA.	Should not drive unless, in the view of an appropriate healthcare professional, it is safe to do so. Must notify DVLA.  If the level of stenosis is severe enough to warrant surgical or radiological intervention, the requirements for exercise or other functional test must be met – see Appendix C, page 118.

### Acute encephalitic illness and meningitis

### - including limbic encephalitis associated with seizures

#### **Group 1** Group 2 car and motorcycle bus and lorry Must not drive and may need to Must not drive and may need to notify the DVLA. notify the DVLA. a. If there are no seizures, may resume a. If there are no seizures, may resume driving after complete clinical recovery driving after complete clinical recovery and need not notify the and need not notify the DVLA unless there is residual disability. DVLA unless there is residual disability. b. If seizures occur during an acute b. If seizures occur during or after febrile illness, the DVLA must be notified and will refuse or revoke a convalescence, the DVLA must be licence for 12 months, after which a notified and will refuse or revoke a 'til 70 licence may be reissued. licence until the epilepsy regulations are met (see Appendix B, page 113). c. If seizures occur during or after convalescence, the DVLA must be notified and will refuse or revoke a licence until the epilepsy regulations are met (see Appendix B, page 113).

### Transient global amnesia and amyloid spells

Group 1 car and motorcycle	Group 2 bus and lorry
May drive provided epilepsy, any sequelae from head injury and other causes of altered awareness have been excluded.  The DVLA does not need to be notified and a 'till 70 licence may be retained.	Driving is not barred by a single confirmed episode, and the licence may be retained.  Driving should stop if two or more episodes occur, and the DVLA must be notified. Specialist assessment will be required to exclude all other causes of altered awareness.

### **Arachnoid cysts**

	Group 1 car and motorcycle	Group 2 bus and lorry
Asymptomatic and no need for treatment	May drive and need not notify the DVLA.	May drive and need not notify the DVLA.
Treated by craniotomy and/or endoscopically	Must not drive for 6 months and must notify the DVLA.	Must not drive and must notify the DVLA. Relicensing may be considered after 2 years following treatment, provided there is no debarring residual impairment likely to affect safe driving.

### **Colloid cysts**

	Group 1 car and motorcycle	Group 2 bus and lorry
Asymptomatic and no need for treatment	May drive and need not notify the DVLA.	Must notify the DVLA.  May drive unless prophylactic medication for seizures is prescribed, in which case an individual assessment will be required.
Treated by craniotomy and/or endoscopically	Must not drive for 6 months and must notify the DVLA.	Must not drive and must notify the DVLA. Relicensing may be considered after 2 years following treatment, provided there is no debarring residual impairment likely to affect safe driving.

### **Pituitary tumour**

	Group 1 car and motorcycle	Group 2 bus and lorry
Treated by craniotomy	Must not drive and must notify the DVLA.  Driving may resume after 6 months provided there is no visual field defect.  If there is visual field loss, see Chapter 6, visual disorders.	Must not drive and must notify the DVLA. Driving will remain prohibited for 2 years.
No need for treatment, or treated by transsphneoidal surgery or therapy such as drugs or radiotherapy	Must not drive but need not notify the DVLA.  Driving may resume on recovery provided there is no debarring visual field defect.	Must not drive but need not notify the DVLA. Driving may resume on recovery provided there is no debarring visual field defect.

### **Benign brain tumours**

	Group 1 car and motorcycle	Group 2 bus and lorry	
Benign supratentoria	Benign supratentorial tumour (WHO grade I meningioma, for example)		
Treated by craniotomy	Must not drive and must notify the DVLA.  Driving may resume after 6 months provided there is no debarring residual impairment likely to affect safe driving.  The epilepsy regulations (see Appendix B, page 113) apply if there is relevant seizure history.	Must not drive and must notify the DVLA.  The licence will be refused or revoked. In the absence of any seizures and with evidence of complete tumour removal, relicensing may be considered 5 years after the surgery. If the tumour is associated with seizure, relicensing will not be considered until 10 years after surgery, provided these years are free from seizures without epilepsy medication.  Specialist assessment may be required.	
Treated by stereotactic radiosurgery	Must not drive and must notify the DVLA. Driving may resume after 1 month provided there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Provided there is evidence of stability on imaging, relicensing may be considered 3 years from completion of the primary tumour treatment.	

continued

The epilepsy regulations (see Appendix B, page 113) apply if there is relevant seizure history.

If the tumour is associated with seizure, relicensing will not be considered until 10 years after surgery, provided these years are free from seizures without epilepsy medication.

Specialist assessment may be required.

### Treated by fractionated radiotherapy

Must not drive and must notify the

Driving may resume on completion of treatment provided there is no debarring residual impairment likely to affect safe driving.

The epilepsy regulations (see Appendix B, page 113) apply if there is relevant seizure history.

Must not drive and must notify the DVLA.

The licence will be refused or revoked. Provided there is evidence of stability on imaging, relicensing may be considered 3 years from completion of the primary tumour treatment.

If the tumour is associated with seizure, relicensing will not be considered until 10 years after surgery, provided these years are then free from seizures without epilepsy medication.

Specialist assessment may be required.

### WHO grade II meningiomas treated with craniotomy and/or radiosurgery and/or radiotherapy

Must not drive and must notify the DVLA.

Driving may resume 1 year after completion of treatment.

The epilepsy regulations (see Appendix B, page 113) apply if there is relevant seizure history.

Must not drive and must notify the DVLA.

The licence will be refused or revoked. In the absence of any seizures and with evidence of complete tumour removal, the DVLA may consider

relicensing 5 years after the surgery. If the tumour is associated with seizure, relicensing will not be considered until 10 years after surgery, provided these

years are then free from seizures without epilepsy medication.

#### Asymptomatic incidental meningiomas not needing treatment

May drive and need not notify the DVLA.

Must not drive and must notify the DVLA.

The licence will be refused or revoked. Relicensing may be considered after 2 scans performed 12 months apart show no growth.

Individual assessment will be considered if such lack of growth cannot be demonstrated.

Licences are reissued with annual review.

### **Malignant brain tumours**

### - including metastatic deposits and pineal tumours

The standards will apply to first occurrence, recurrence and progression.

### **Supratentorial**

	Group 1 car and motorcycle	Group 2 bus and lorry
WHO grade I or II glioma	<ul> <li>Must not drive and must notify the DVLA.</li> <li>Driving may resume 1 year after completion of primary treatment.</li> <li>Where there is imaging evidence of tumour recurrence or progression licensing may be considered if:</li> <li>there has been a 1 year seizure free period</li> <li>there is no clinical disease progression</li> <li>no further primary treatment (with the exception of chemotherapy) was required for the recurrence.</li> <li>If these criteria cannot be met, a further 1 year off driving will be required following completion of primary treatment or following seizure.</li> <li>A 1 year licence will usually be considered.</li> </ul>	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.  Except grade I pineocytoma: relicensing may be considered on an individual basis 2 years after primary treatment, provided MRI imaging is satisfactory.
WHO grade III meningioma	Must not drive and must notify the DVLA.  Driving may resume 2 years after the completion of primary treatment.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
WHO grade III or IV gliomas, metastic deposits, or primary or secondary CNS lymphoma	Must not drive and must notify the DVLA. Driving may resume at least 2 years after the completion of primary treatment.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Solitary metastatic deposit	Must not drive and must notify the DVLA.  Relicensing may be considered 1 year after completion of the primary treatment if there was complete excision, and provided there is no recurrence and no evidence of disease progression elsewhere in the body. If these criteria cannot be met then driving must cease for 2 years following completion of primary treatment.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.

### Infratentorial

	Group 1 car and motorcycle	Group 2 bus and lorry
WHO grade I glioma	Must not drive and must notify the DVLA.  Driving may resume at 1 year.	Must not drive and must notify the DVLA. Relicensing will be considered on individual assessment.
WHO grade II, III or IV glioma	Must not drive and must notify the DVLA.  Driving may resume 1 year (grade II) or 2 years (grades III and IV) after the completion of primary treatment.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Medulloblastoma	Must not drive and must notify the DVLA. Relicensing may be considered 1 year after completion of the primary treatment if there was complete excision, and provided there is no recurrence.	Must not drive and must notify the DVLA. Relicensing may be considered 5 years after completion of the primary treatment, provided this period is clinically disease-free, the tumour was entirely infratentorial and completely excised.
High-grade ependymoma, other primary malignant brain tumour, or primary or secondary CNS lymphoma	Must not drive and must notify the DVLA. Relicensing may be considered normally only after 2 years from completion of the primary treatment.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Brain metastases	Must not drive and must notify the DVLA. Relicensing may be considered 1 year after completion of the primary treatment if the patient is otherwise well.	Must not drive and must notify the DVLA. Relicensing may be considered 5 years after completion of the primary treatment.
Malignant intracranial tumour in childhood: survival without recurrence	May apply to drive (or continue to drive) but must notify the DVLA. A 'till 70 licence is normally granted or maintained.	Must not drive and must notify the DVLA. Licence may be granted or reissued based on individual assessment.
Incidental, asymptomatic Iow-grade glioma on imaging	Must not drive and must notify the DVLA.  There will be an individual assessment for licensing with clear medical evidence and any licence will initially be under regular, usually annual, review.	Must not drive and must notify the DVLA.  The licence will be refused or revoked. Relicensing may be considered after 1 year if annual clinical assessment is satisfactory and subsequent specialist opinion is that the lesion is not actually a glioma.

continued

#### Benign infratentorial tumours

For example, meningioma treated with craniotomy with or without radiotherapy.

May drive but need not notify the DVLA.

Driving may resume on recovery from treatment.

Must not drive but need not notify the DVLA.

Driving may resume on recovery from treatment provided that there is no debarring residual impairment likely to affect safe driving.

## Acoustic neuroma/schwannoma

#### Group 1 Group 2 car and motorcycle bus and lorry May drive and need not notify May drive and need not notify the DVLA unless there is sudden and the DVLA unless there is sudden disabling giddiness. and disabling giddiness and/or the condition is bilateral.

## **Brain biopsy**

## - showing undetermined histology

	Group 1 car and motorcycle	Group 2 bus and lorry
Treated by craniotomy and/or endoscopically	Must not drive and must notify the DVLA. Relicensing may be considered after 6 months if there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA. Relicensing may be considered after a minimum of 6 months depending on individual assessment of the underlying condition.

## **Traumatic brain injury**

#### Group 1 Group 2 car and motorcycle bus and lorry Must not drive but may need to Must not drive and must notify notify the DVLA. the DVLA. Relicensing may be considered usually The licence will be refused or revoked. after 6 to 12 months dependent on Driving may be relicensed after the features such as seizures, post-traumatic annual risk of seizure has fallen to amnesia more than 24 hours, dural 2% or below and provided no debarring tear, haematoma and/or contusions residual impairment is likely to affect seen on CT imaging. safe driving.

There will need to have been satisfactory clinical recovery and in particular no visual field defects or cognitive impairment likely to affect safe driving.

Driving can be reconsidered at 3 months and DVLA need not be notified if all of the following can be satisfied:

- there is full clinical recovery
- there are no seizures
- there is no post traumatic amnesia lasting more than 24 hours
- there is no intracranial haematoma and/or contusion seen on CT imaging.

## Subdural haematoma

With any procedure, if another one is also undertaken (for example, a ventriculoperitoneal shunt and a craniotomy for a haematoma), the standards for that procedure also apply, and may take precedence.

	Group 1 car and motorcycle	Group 2 bus and lorry
Spontaneous acute	subdural haematoma	
Treated by craniotomy	Must not drive and must notify the DVLA. Driving may resume 6 months after treatment.	Must not drive and must notify the DVLA. Relicensing may be considered after at least 6 months from treatment and will require an individual assessment.
Chronic subdural had	ematoma	
Treated surgically	Must not drive until clinical confirmation of recovery but need not notify the DVLA.	Must not drive and must notify the DVLA. Can be relicensed at 6 months if the following criteria can be met:  the condition is uncomplicated there is only 1 drainage procedure there is no recurrence there are no multiple membranes seen in the haematoma. All other cases will require 12 months off driving.

# Subarachnoid haemorrhage

#### With no cause found

Must not drive until clinical confirmation of recovery and with a documented normal cerebral angiogram, but need not notify the DVLA.

Must not drive and must notify the DVLA.

Relicensing may be considered after 6 months provided comprehensive cerebral angiography is normal and no debarring residual impairment is likely to affect safe driving.

#### With intracranial aneurysm

Intervention not currently needed

Must not drive until clinical confirmation of recovery but need not notify the DVLA.

Must not drive and must notify the DVLA.

The licence will be refused or revoked permanently.

continued

39

#### Group 1 car and motorcycle

#### Group 2 bus and lorry

#### With intracranial aneurysm - non-middle cerebral artery

#### Treated by craniotomy

Must not drive but need not notify the DVLA.

Relicensing may be considered after 6 months.

Must not drive and must notify the DVLA.

Relicensing may be considered after 1 year if the patient scored below 2 on the modified Rankin Scale (MRS) at 2 months.

If the MRS score is 2 or higher at 2 months, relicensing will not be considered until after 2 years, and will require no debarring residual impairment likely to affect driving.

#### With intracranial aneurysm

#### **Treated** endovascularly

Must not drive but need not notify the DVLA.

Driving may resume following clinical recovery.

Must not drive and must notify the DVLA.

Relicensing may be considered after 6 months if the patient scored below 2 on the modified Rankin Scale (MRS) at 2 months.

If the MRS score is 2 or higher at 2 months, relicensing will not be considered until after 2 years, and will require no debarring residual impairment likely to affect driving.

#### With intracranial aneurysm - middle cerebral artery

#### Treated by craniotomy

Must not drive but need not notify the DVLA.

Relicensing may be considered after 6 months.

Must not drive and must notify the DVLA.

Relicensing may be considered after 2 years if the patient scored below 2 on the modified Rankin Scale (MRS) at 2 months.

If the MRS score is 2 or higher at 2 months, the licence will be refused or revoked. Relicensing will not be considered until after at least 2 years and a specialist assessment. Annual seizure risk should be no greater than 2% and there should be no residual impairment likely to affect driving.

Treated endovascularly	Must not drive but need not notify the DVLA. Driving may resume following clinical recovery.	Must not drive and must notify the DVLA.  Relicensing may be considered after 2 years if the patient scored below 2 on the modified Rankin Scale (MRS) at 2 months.  If the MRS score is 2 or higher at 2 months, the licence will be refused or revoked. Relicensing will not be considered until ofter.
		will not be considered until after at least 2 years and a specialist assessment. Annual seizure risk should be no greater than 2% and there should be no residual impairment likely to affect driving.

# **Intracranial aneurysm**

# - truly incidental finding without haemorrhage

	Group 1 car and motorcycle	Group 2 bus and lorry
Treatment not currently needed	Must not drive until clinical confirmation that there are no debarring residual impairments likely to affect safe driving but need not notify the DVLA.	Must not drive and must notify the DVLA.  Relicensing may be considered if:  an aneurysm in the anterior circulation (excluding cavernous carotid) is less than 13 millimetres in diameter  an aneurysm in the posterior circulation is less than 7 millimetres in diameter.
Treated by craniotomy	Must not drive but need not notify the DVLA. Relicensing may be considered after 6 months.	Must not drive and must notify the DVLA. Relicensing may be considered after 1 year.
Treated endovascularly	Must not drive but need not notify the DVLA. Driving may resume following clinical recovery.	Must not drive but need not notify the DVLA.  Driving may resume following clinical recovery provided there are no complications from the procedure.

# **Arteriovenous malformation (AVM)**

With any of the procedures, if another is also undertaken (for example, a ventriculoperitoneal shunt or a craniotomy for a haematoma) the standards for that procedure also apply and may take precedence.

## **Supratentorial**

	Group 1 car and motorcycle	Group 2 bus and lorry
Intracerebral haemo	rrhage due to supratentorial AVM	
Treatment not currently needed	Must not drive but need not notify the DVLA. Driving may resume after 1 month provided there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Treated by craniotomy	Must not drive and must notify the DVLA. Relicensing may be considered after 6 months if there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked. Relicensing may be considered after 10 years free of seizure since the last definitive treatment and the lesion was completely removed or ablated. There must be no debarring residual impairment likely to affect safe driving.
Treated by embolisation	Must not drive but need not notify the DVLA. Driving may resume after 1 month provided there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked. Relicensing may be considered after 10 years free of seizure since the last definitive treatment and the lesion was completely removed or ablated. There must be no debarring residual impairment likely to affect safe driving.
Treated by strereotactic radiotherapy	Must not drive but need not notify the DVLA. Driving may resume after 1 month provided there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked. Relicensing may be considered after 5 years free from seizure since the last definitive treatment and if the lesion was completely removed or ablated. There must be no debarring residual impairment likely to affect safe driving.

Incidental finding of supratentorial AVM (with no history of intracranial bleed)		
Treatment not currently needed	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Treated by surgery or other mode	Must not drive and must notify the DVLA.  Will require a period of time off driving depending on treatment and as per the relevant section.	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Relicensing may be considered after 10 years free of seizure since the last treatment and the lesion was completely removed or ablated.  There must be no debarring residual impairment likely to affect safe driving.

## **Infratentorial AVM**

	Group 1 car and motorcycle	Group 2 bus and lorry
Intracranial haemorr	hage due to infratentorial AVM	
Treatment not currently needed	May drive and need not notify the DVLA.  There must be no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Treated by craniotomy	May drive and need not notify the DVLA.  There must be no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Relicensing may be considered without the need for review on confirmation of complete obliteration provided there is no debarring residual impairment likely to affect safe driving.
Treated by embolisation or stereotactic radiotherapy	May drive and need not notify the DVLA. There must be no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Relicensing may be considered without the need for review on confirmation of complete obliteration provided there is no debarring residual impairment likely to affect safe driving.

## **Dural arteriovenous fistula**

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive and must notify the DVLA. Relicensing may be considered on an individual assessment.	Must not drive and must notify the DVLA. Relicensing may be considered on an individual assessment.

## Cavernous malformation

Cavernomas are also known as cavernous malformations, cavernous angiomas, or cavernous haemangiomas. They are all surrounded by haemosiderin on brain MRI, but this does not necessarily imply that they have 'bled' in the past. The risk of events that might affect driving differs according to cavernoma location (brainstem versus other locations) and symptoms attributable to the cavernoma (stroke versus epileptic seizure versus no symptoms). A person's age, the number of cavernomas, and the size of the cavernoma do not seem to affect these risks.

With multiple cavernomas, licensing restrictions differ according to cavernoma location, symptoms, or treatment. The most restrictive guidance will apply.

# Supratentorial

	Group 1 car and motorcycle	Group 2 bus and lorry
Incidental finding	May drive and need not notify the DVLA.	May drive and need not notify the DVLA.
With seizure, no surgical treatment	Must not drive and must notify the DVLA.  The epilepsy regulations (see Appendix B, page 113) apply if there is a history of seizure.	Must not drive and must notify the DVLA.  The epilepsy regulations (see Appendix B, page 113) apply if there is a history of seizure.
With haemorrhage and/or focal neurological deficit, no surgical treatment	May drive but must notify the DVLA. Driving will depend on the following:  there must be no debarring residual impairment likely to affect safe driving. The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.	Must not drive and must notify the DVLA.  The licence will be refused or revoked permanently.
Treated by craniotomy	Must not drive and must notify the DVLA.  Driving may resume after 6 months if there is no debarring residual impairment likely to affect safe driving.  The epilepsy regulations (see Appendix B, page 113) apply if there is a history of seizure.	Must not drive and must notify the DVLA.  The licence will be refused or revoked. Relicensing may be considered 10 years after surgical obliteration of the lesion.  The epilepsy regulations (see Appendix B, page 113) apply.
Treated by radiosurgery (whether cavernous malformation incidental or symptomatic)	<ul> <li>May drive but must notify the DVLA.</li> <li>Driving will depend on the following:</li> <li>there must be no debarring residual impairment likely to affect safe driving.</li> <li>The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.</li> </ul>	May drive and need not notify the DVLA.  The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.

## Infratentorial cavernous malformation

	Group 1 car and motorcycle	Group 2 bus and lorry
Incidental finding	May drive and need not notify the DVLA.	May drive and need not notify the DVLA.
With haemorrhage and/or focal neurological deficit, no surgical treatment	<ul> <li>May drive but must notify the DVLA.</li> <li>Driving will depend on the following:         <ul> <li>there must be no debarring residual impairment likely to affect safe driving.</li> </ul> </li> <li>The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.</li> </ul>	May drive and need not notify the DVLA.  There must be no debarring residual impairment likely to affect safe driving.  The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.
Treated by craniotomy	<ul> <li>May drive but must notify the DVLA.</li> <li>Driving will depend on the following:</li> <li>there must be no debarring residual impairment likely to affect safe driving.</li> <li>The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.</li> </ul>	May drive but must notify the DVLA. There must be no debarring residual impairment likely to affect safe driving. The epilepsy regulations (see Appendix B, page 113) apply, and the patient must not drive and must notify the DVLA if there is a history of seizure.

# Intracerebal abscess/subdural empyema

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive and must notify the DVLA. Driving may resume after 1 year.	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Given that there is a very high prospective risk of seizure, it will be 10 years before relicensing may be considered and there must have been no seizures and no treatment for seizures in that time.

# **Craniectomy and subsequent cranioplasty**

Group 1 car and motorcycle	Group 2 bus and lorry
May drive but must notify the DVLA.	Must not drive and must notify the DVLA.
	continued

46

Driving may resume on recovery providing there are no complications. If these occur, the relevant licensing standards would apply. The underlying conditions leading to surgery will require consideration.

Relicensing may be considered after 6 months from treatment depending on individual features.

# **Hydrocephalus**

#### Group 2 Group 1 car and motorcycle bus and lorry May drive and need not notify Must not drive and must notify the DVLA. the DVLA. If the hydrocephalus is uncomplicated, Driving will be allowed to continue if driving may continue under the 'til 70 the hydrocephalus is uncomplicated licence. and there are no associated neurological problems.

## Intraventricular shunt or extraventricular drain - insertion or revision of upper end of shunt or drain

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive and must notify the DVLA.  May be relicensed after 6 months if there is no debarring residual impairment likely to affect safe driving.	Must not drive and must notify the DVLA.  May be relicensed/licensed after a minimum of 6 months depending on individual assessment of the underlying condition.

## **Neuroendoscopic procedures**

- for example, third ventriculostomy

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive and must notify the DVLA.  May be relicensed/licensed after 6 months if there is no debarring residual impairment likely to affect safe driving and no other disqualifying condition.	Must not drive and must notify the DVLA.  May be relicensed/licensed after a minimum of 6 months depending on individual assessment of the underlying condition.

## Intracranial pressure monitoring device

## - inserted by burr hole surgery

## **Group 1** car and motorcycle

Group 2 bus and lorry

May drive but need not notify the DVLA.

The prospective risk from the underlying condition must be considered.

Must not drive and must notify the DVLA.


The prospective risk from the underlying condition must be considered.

## Implanted electrodes

#### Group 1 car and motorcycle

#### Group 2 bus and lorry

#### Deep brain stimulation for movement disorder or pain



May drive if:

- there are no complications from surgery
- the patient is seizure-free
- there is no debarring residual impairment likely to affect safe

Need not notify the DVLA.

Must not drive and must notify the DVLA.

Fitness to drive may be assessed for relicensing if:

- there are no complications from surgery
- the patient is seizure-free with an underlying condition that is non-progressive
- there is no debarring residual impairment likely to affect safe driving.

#### Implanted motor cortex stimulator for pain relief

Must not drive and must notify the DVLA.

May be relicensed/licensed after 6 months if the aetiology of the pain is non-cerebral - trigeminal neuralgia, for example.

If the aetiology is cerebral - stroke, for example - may be relicensed/licensed after 12 months provided there is no debarring residual impairment likely to affect safe driving.

Must not drive and must notify the DVLA.

The licence will be refused or revoked.

Must not drive

# O2 Cardiovascular disorders

Angina	50
Acute coronary syndromes (ACS)	50
Percutaneous coronary intervention (PCI)	51
Coronary artery bypass graft (CABG)	51
Arrhythmias	52
Successful catheter ablation	52
Pacemaker implant	53
Unpaced congenital complete heart block	53
Atrial defibrillator	53
Implantable cardioverter defibrillator (ICD)	54
Aortic aneurysm	56
Aortic dissection	57
Marfan syndrome and other inherited aortopathies	58
Peripheral arterial disease (PAD) with	
coronary artery disease	
Hypertension	59
Cardiomyopathies	59
Heart failure	62
Cardiac resynchronisation therapy (CRT)	62
Heart transplant	63
Heart valve disease	63
Aortic stenosis	64
Heart valve surgery	65
Congenital heart disease (CHD)	65
ECG abnormality	67
Left bundle branch block	67
Pre-excitation	67

## **Angina**

#### Group 1 Group 2 car and motorcycle bus and lorry **Angina** Must not drive when symptoms Must notify the DVLA. Must not drive when symptoms occur. occur: A licence will be refused or revoked at rest if symptoms continue (treated or with emotion untreated). at the wheel. May be relicensed/licensed (provided Driving may resume after satisfactory there is no other disqualifying symptom control. condition) if: Need not notify the DVLA. no angina for at least 6 weeks • the requirements for exercise or other functional tests can be met (see Appendix C, page 118).

## **Acute coronary syndromes (ACS)**

#### Group 1 Group 2 car and motorcycle bus and lorry Must not drive and must notify the Must not drive but need not notify the DVLA. DVLA - for all ACS. Driving may resume 1 week after Licence will be refused or revoked. ACS if successful coronary angioplasty May be relicensed/licensed after at and if: least 6 weeks if: no other urgent revascularisation the requirements for exercise or planned (urgent means within other functional tests can be met 4 weeks of acute event) (see Appendix C, page 118) LV ejection fraction is at least 40% there is no other disqualifying before hospital discharge condition. there is no other disqualifying If not treated by successful coronary angioplasty, driving may resume only after 4 weeks from the acute event. provided there is no other disqualifying condition.

## **Percutaneous coronary intervention (PCI)**

- elective angioplasty with or without stent

#### Group 1 Group 2 car and motorcycle bus and lorry Must not drive for at least 1 week Must not drive and must notify but need not notify the DVLA. the DVLA. Driving may resume after 1 week Licence will be refused or revoked. provided there is no other disqualifying May be relicensed/licensed after at condition. least 6 weeks if: the requirements for exercise or other functional tests can be met (see Appendix C, page 118) there is no other disqualifying condition.

## Coronary artery bypass graft (CABG)

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive for at leat 4 weeks but need not notify the DVLA.  Driving may resume after 4 weeks provided there is no other disqualifying condition.	<ul> <li>Must not drive and must notify the DVLA.</li> <li>Licence will be refused or revoked.</li> <li>May be relicensed/licensed after 3 months if:</li> <li>LV ejection fraction is at least 40%</li> <li>the requirements for exercise or other functional tests can be met (see Appendix C, page 118), at least 3 months postoperatively</li> <li>there is no other disqualifying condition.</li> </ul>

# **Arrhythmias**

#### **Arrhythmias include:**

- sinoatrial disease
- significant atrioventricular conduction defect
- atrial flutter/fibrillation
- narrow or broad complex tachycardia.

#### Note:

- if a transient arrhythmia occurs during an acute coronary syndrome, the guidance relating to ACS takes precedence (page 50)
- pacemakers are considered separately (page 53).

	Group 1 car and motorcycle	Group 2 bus and lorry
Arrhythmia	<ul> <li>Must not drive if arrhythmia has caused or is likely to cause incapacity and may need to notify the DVLA.</li> <li>Driving may resume without DVLA notification only after:</li> <li>underlying cause has been identified</li> <li>arrhythmia is controlled for at least 4 weeks.</li> <li>Must notify the DVLA if there are distracting or disabling symptoms.</li> </ul>	Must notify the DVLA. Must not drive if arrhythmia has caused or is likely to cause incapacity.  Licence will be refused or revoked.  May be relicensed/licensed (provided there is no other disqualifying condition) only after:  underlying cause has been identified arrhythmia has been controlled for at least 3 months  LV ejection fraction is at least 40%.

## Successful catheter ablation

	Group 1 car and motorcycle	Group 2 bus and lorry
For arrhythmia causing or likely to cause incapacity	Must not drive for at least 2 days but need not notify the DVLA. Driving may resume after 2 days provided there is no other disqualifying condition.	Must not drive and must notify the DVLA. Driving may resume after 6 weeks provided there is no other disqualifying condition.
For arrhythmia not causing nor likely to cause incapacity	Must not drive for at least 2 days but need not notify the DVLA. Driving may resume after 2 days provided there is no other disqualifying condition.	Must not drive for at least 2 weeks but need not notify the DVLA. Driving may resume after 2 weeks provided there is no other disqualifying condition.

# **Pacemaker implant**

## - including box change

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive for at least 1 week and must notify the DVLA. Driving may resume after 1 week provided there is no other disqualifying condition.	Must not drive for at least 6 weeks and must notify the DVLA.  Driving may resume after 6 weeks provided there is no other disqualifying condition.

# Unpaced congenital complete heart block

	Group 1 car and motorcycle	Group 2 bus and lorry
Asymptomatic	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.
Symptomatic	Must not drive and must notify the DVLA. Licence will be refused or revoked.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.

## **Atrial defibrillator**

	Group 1 car and motorcycle	Group 2 bus and lorry
Physician or patient activated	May drive provided there is no other disqualifying condition. Must notify the DVLA.	Must not drive and must notify the DVLA.  May be relicensed/licensed (provided there is no other disqualifying condition) after the arrhythmia requirements have been met (see Appendix C, page 118).
Automatic	May drive provided there is no other disqualifying condition. Must notify the DVLA.  Note: also refer to the implantable cardioverter defibrillator (ICD) requirements below.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.

## Implantable cardioverter defibrillator (ICD)

#### Group 1 car and motorcycle

In all cases of ICD implanted for sustained ventricular arrhythmia associated with incapacity, driving must stop for 6 months from the date of ICD implantation and any resumption requires:

- the device being under regular review with interrogation
- no other disqualifying condition
- all the requirements as below must be met.

#### Group 2 bus and lorry

ICD implantation is a permanent bar to Group 2 licensing. In all cases of ICD implantation (including prophylactic ICD implantation) driving must stop permanently and:

- the DVLA must be notified
- the licence will be refused or revoked permanently.

	Group 1 car and motorcycle	Group 2 bus and lorry
ICD implanted for sus	stained ventricular arrhythmia assoc	ciated with incapacity
Without further sequelae	Must not drive and must notify the DVLA.  Driving may resume after 6 months following implantation – except that any of the sequelae 1-4 below require further specific restrictions and may require notification to the DVLA.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.
With any shock therapy and/or symptomatic anti- tachycardia pacing	Must not drive for 6 months from the time of any shock therapy and/or symptomatic anti-tachycardia pacing.  Must notify the DVLA.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.
2. With incapacity following implantation or therapy (whether incapacity caused by device or arrhythmia)	Must not drive and may need to notify the DVLA.  Must not drive for 2 years after symptoms of incapacity and must notify the DVLA.  Exceptions to this 2 year requirement apply as follows, but the minimum initial restriction of 6 months off driving after implantation still applies.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.

continued

- a. If therapy delivery was due to an inappropriate cause such as atrial fibrillation or, programming issues:
  - driving may resume 1 month after complete control of any cause to the satisfaction of the cardiologist. The DVLA need not be notified.
- **b.** If therapy delivery was due to sustained ventricular tachycardia or ventricular fibrillation:
  - driving may resume 6 months after event
  - provided preventive steps against recurrence have been taken with anti-arrhythmic drugs or ablation procedure, for example
  - and provided there is an absence of further symptomatic therapy.

#### 3. With any revision

of electrodes or alteration of anti-arrhythmic drug treatment

Must not drive for 1 month but need not notify the DVLA.

Driving may resume 1 month after electrode revision or drug alteration.

Must not drive and must notify the DVLA.

Licence will be refused or revoked permanently.

#### 4. With defibrillator box change

Must not drive for 1 week but need not notify the DVLA.

Driving may resume 1 week after box change.

Must not drive and must notify the DVLA.

Licence will be refused or revoked permanently.

#### ICD implanted for sustained ventricular arrhythmia not associated with incapacity

Must not drive for 1 month following implantation and must notify the DVLA.

Driving may resume 1 month after implantation provided:

- presentation was a 'non-disqualifying' cardiac event - i.e. haemodynamically stable sustained ventricular tachycardia without incapacity
- LV ejection fraction is greater
- no fast ventricular tachycardia (VT) induced on electrophysiological study – i.e. RR interval of less than 250 milliseconds
- during the postimplantation study, any induced VT could be paceterminated by the ICD twice, without acceleration.

Must not drive and must notify the DVLA.

Licence will be refused or revoked permanently.

continued

Note: should ICD subsequently deliver anti-tachycardia pacing and/or shock therapy (except during normal clinical testing), the DVLA must be notified and the restrictions must be applied as for sustained ventricular arrhythmia associated with incapacity (see page 54).

#### Prophylactic ICD

In asymptomatic individuals with a high risk of significant arrhythmia

- Must not drive for 1 month following implantation and must notify the DVLA:
- driving may resume 1 month after implantation if remain asymptomatic and no ICD therapy needed
- should the ICD subsequently deliver symptomatic anti-tachycardia pacing and/or shock therapy (except during normal clinical testing), the DVLA must be notified and the restrictions must be noted as for sustained ventricular arrhythmia associated with incapacity (see page 54).

Must not drive and must notify the DVLA.

Licence will be refused or revoked permanently.

## **Aortic aneurysm**

## - ascending or descending thoracic and/or abdominal

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA if aneurysm diameter is less than 6cm.	May drive if the aneurysm diameter is less than 5.5cm. Must notify the DVLA.
May drive but must notify the DVLA if aneurysm diameter is <b>between 6cm and 6.4cm</b> .  May be relicensed/licensed subject to annual review.	Must not drive and must notify the DVLA if the aneurysm diameter is greater than 5.5cm.  Licence will be refused or revoked.  May be relicenced/licensed after successful surgical treatment without evidence of futher enlargement and no other disqualifying condition.  Note: the exercise or other functional test requirements will need to be met in case of abdominal aortic aneurysm.

continued

Must not drive and must notify the DVLA if aneurysm diameter is 6.5cm or greater.

Licence will be refused or revoked. May be relicenced/licensed after successful surgical treatment without evidence of further enlargement and no other disqualifying condition. In cases of bicuspid aortopathy, maximum aortic diameter should be less than 6.5cm.

May drive and may need to notify the DVLA - see following.

In cases of bicuspid aortopathy, maximum aortic diameter should be less than 5.5cm provided there is no associated aortic coarctation, systemic hypertension, family history of aortic dissection and aneurysmal growth no greater than 3mm per annum. If any of the above apply, the maximum aortic diameter allowed would be less than 5cm.

### **Aortic dissection**

Note: 'well controlled' blood pressure means clinically relevant to aortic dissection, not the DVLA standard for hypertension.

#### Group 1 car and motorcycle

Must not drive. Must notify the DVLA if aortic diameter greater than 6cm.

Driving may resume only after satisfactory surgical intervention and/or:

- satisfactory medical therapy (blood pressure well controlled)
- medical follow-up (especially if chronic dissection)
- no other disqualifying condition. If aortic diameter is 6 cm or greater, the driving restrictions given under aortic aneurysm (see above) must take effect, with the DVLA notified.

#### Group 2 bus and lorry

Must not drive and must notify the DVI A.

Licence will be refused or revoked. May be relicensed/licensed only after satisfactory surgical intervention and/ or all the following are met:

- satisfactory medical therapy (blood pressure well controlled)
- if chronic aortic dissection maximum transverse diameter of the aorta is less than 5.5cm (including the false lumen/thrombosed segment)
- complete thrombosis of the false lumen
- medical follow up in place.

# Marfan syndrome and other inherited aortopathies

#### **Group 1** car and motorcycle

May drive and need not notify the DVLA if no aneurysm.

If there is an aortic aneurysm must notify the DVLA and must not drive if aortic diameter greater than 5cm.

#### Group 2 bus and lorry

Must notify the DVLA.

Must not drive if maximum aortic diameter greater than 5cm or associated with severe aortic regurgitation. Licence will be revoked/ refused.

Relicensing will be considered only if:

- maximum aortic diameter is less than 5cm
- no family history of aortic dissection
- no severe aortic regurgitation
- is under annual cardiac review to include aortic root measurement.

If there is a family history of dissection, relicensing will only be allowed if aortic diameter is less than 4.5cm.

Aortic root replacement - debarred if emergency aortic root surgery.

Elective aortic root surgery - individual assessment (see Appendix C, page 118 for full details).

For aortic root replacement, driving may be relicensed after an individual assessment (see Appendix C, page 118).

# Peripheral arterial disease

#### Group 1 car and motorcycle

May drive and need not notify the DVLA.

There must be no other disqualifying condition.

#### Group 2 bus and lorry

May drive but must notify the DVLA.

May be relicenced/licensed only if:

- there is no symptomatic myocardial ischemia, and
- the exercise or other functional test requirements can be met (see Appendix C, page 118).

#### Group 1 car and motorcycle

May drive and need not notify the DVLA, except:

Must not drive if treatment for any level of hypertension causes side-effects that affect or are likely to affect safe driving (but need not notify the DVLA).

#### Group 2 bus and lorry

May drive and need not notify the DVLA, except:

Must not drive and must notify the DVLA if resting BP is consistently:

- 180mm Hg or higher systolic and/or
- 100mm Hg or more diastolic.

May be relicensed/licensed after BP is controlled, provided there are no side-effects from treatment that affect or are likely to affect safe driving.

## **Cardiomyopathies**

Note: the DVLA bars Group 2 bus and lorry licensing whenever left ventricular ejection fraction is less than 40%.

#### Also refer to the following sections in this document:

- arrhythmias (page 52)
- pacemaker implant (page 53)
- implantable cardioverter defibrillator (page 54).

#### Group 1 car and motorcycle

#### Group 2 bus and lorry

#### Hypertrophic cardiomyopathy (HCM)

#### **Asymptomatic**

May drive and need not notify the DVLA.

There must be no other disqualifying condition.

Must not drive and must notify the DVLA.

Must not drive if in the High Risk group (as per ESC HCM Risk-SCD calculator - see Appendix C for details) and/or if ICD is indicated/implanted.

If in the Low Risk or Intermediate Risk group licensing will be permitted if the exercise tolerance test requirements are met (see Appendix C for details).

continued



		May be relicensed/licensed only after at least a 25mm Hg increase in systolic blood pressure during exercise testing (testing to be repeated every 3 years) has been demonstrated and at least two of the following three criteria are met:  1. no first-degree family history of sudden premature death from presumed HCM  2. HCM not anatomically severe – wall thickness no greater than 3cm confirmed by cardiologist  3. no serious abnormality of heart rhythm such as non-sustained ventricular tachycardia (NSVT).  See Appendix C, page 118 for full details.
Symptomatic	May drive and need not notify the DVLA.  There must be no other disqualifying condition (must meet all other relevant standards e.g. angina, arrhythmia).	Must not drive and must notify the DVLA. Licence will be refused or revoked. Relicensing will be considered once symptoms are satisfactorily controlled and the criteria for asymptomatic HCM met as detailed above. If there is a history of associated syncope the standards for syncope need to be met in addition.
Dilated cardiomyopa	athy	
Asymptomatic	May drive and need not notify the DVLA.  There must be no other disqualifying condition.	May drive but must notify the DVLA. There must be no other disqualifying condition.
Symptomatic	May drive and need not notify the DVLA.  There must be no other disqualifying condition (must meet all other standards e.g. angina arrhythmia).	Must not drive and must notify the DVLA.  Driving may be relicensed if there is no other disqualifying condition.

continued

Arrhythmogenic right – and allied disorders	t ventricular cardiomyopathy	
Asymptomatic	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.  May be relicensed/licensed following specialist electrophysiological assessment, provided there is no other disqualifying condition.
Symptomatic	Must not drive and must notify the DVLA if arrhythmia has caused or is likely to cause incapacity (see page 52).  May be relicensed/licensed once arrhythmia is controlled, provided there is no other disqualifying condition.	<ul> <li>Must not drive and must notify the DVLA.</li> <li>Licence will be refused or revoked.</li> <li>Relicensing may be permitted if:</li> <li>the applicant is on treatment</li> <li>the applicant has remained asymptomatic for a period of 1 year and</li> <li>the applicant remains under regular specialist electrophysiological review.</li> <li>A 1–3 year licence may be considered if the specialist electrophysiological review is satisfactory.</li> </ul>

## **Heart failure**

	Group 1 car and motorcycle	Group 2 bus and lorry
Asymptomatic	May drive and need not notify the DVLA.	May drive and need not notify the DVLA.
Symptomatic	Must not drive if there are any symptoms likely to distract the driver or otherwise affect safe driving but need not notify the DVLA.	Must not drive and must notify the DVLA. Licence will be refused or revoked. Relicensing would require: LV ejection fraction at least 40% no other disqualifying condition. Depending on likely cause for heart failure, exercise or other functional testing for heart failure may be required (see Appendix C on page 118).
Left ventricular assist device implanted	Must not drive and must notify the DVLA. Driving may be relicensed under individual assessment only after 3 months from implantation.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.

# **Cardiac resynchronisation therapy (CRT)**

	Group 1 car and motorcycle	Group 2 bus and lorry
CRT pacemaker	<ul> <li>Must not drive for 1 week and must notify the DVLA.</li> <li>Driving may resume after at least 1 week following implantation if:</li> <li>there are no symptoms likely to affect safe driving</li> <li>there is no other disqualifying condition.</li> </ul>	Must not drive and must notify the DVLA.  Driving may resume after at least 6 weeks following implantation if:  the requirements under heart failure section (see above) are met  there is no other disqualifying condition.
CRT defibrillator	May drive subject to following provisions being met but must notify the DVLA.  Provisions:      the requirements under implantable cardioverter defribillator (ICD) are met there is no other disqualifying condition.	Must not drive and must notify the DVLA. Licence will be refused or revoked permanently.

# **Heart transplant**

## - including heart and lung transplant

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive for at least 6 weeks after surgery. Need not notify the DVLA.  There must be no other disqualifying condition.	<ul> <li>Must not drive for at least 3 months following surgery and must notify the DVLA.</li> <li>May be relicensed after 3 months provided:</li> <li>remains asymptomatic</li> <li>any exercise or other functional testing requirements from the DVLA are met</li> <li>LV ejection fraction at least 40%</li> <li>there is no other disqualifying condition.</li> </ul>

## **Heart valve disease**

#### Note:

- also refer to heart valve surgery (see page 65)
- separate standards for aortic stenosis, see below.

	Group 1 car and motorcycle	Group 2 bus and lorry
Heart valve disease		
Asymptomatic	May drive and need not notify the DVLA. There must be no other disqualifying condition.	May drive and need not notify the DVLA. There must be no other disqualifying condition.

continued

#### **Symptomatic**

May drive and need not notify the DVLA.

There must be no other disqualifying condition.

May be licensed/relicensed if there are no other disqualifying conditions and free of symptoms.

Must not drive and must notify the DVLA.

If there is cerebral embolism, relicensing may be after 12 months and following specialist assessment required by the DVLA to determine

## **Aortic stenosis**

## (to include sub-aortic and supra-aortic stenosis)

See Appendix C for the definition of 'severe' asymptomatic aortic stenosis (page 120).

	Group 1 car and motorcycle	Group 2 bus and lorry
Asymptomatic	May drive and need not notify the DVLA.	Must not drive and must notify the DVLA.  If, although asymptomatic, aortic stenosis is severe, an annual review licence may be issued, provided:  the exercise tolerance test requirements from the DVLA are met (see Appendix C, page 118)  there is satisfactory medical follow-up.  Licensing will be refused if:  during an exercise test symptoms develop, blood pressure falls or there is sustained arrhythmia  a cardiologist considers that exercise testing would be unsafe for the individual  a test is not possible for any other reason.
Symptomatic	Must not drive and must notify the DVLA. Licence will be refused or revoked pending assessment and treatment.	Must not drive and must notify the DVLA. Licence will be refused or revoked pending assessment and treatment.

# **Heart valve surgery**

- including transcatheter aortic valve implantation and other cardiac or pulmonary percutaneous devices

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive for at least 4 weeks but need not notify the DVLA.  Driving may resume only after at least 4 weeks, provided there is no other disqualifying condition.	<ul> <li>Must not drive for at least 3 months and must notify the DVLA.</li> <li>May be relicensed/licensed only after at least 3 months, provided:</li> <li>no evidence of significant left ventricular impairment – that is, LV ejection fraction at least 40%</li> <li>no ongoing symptoms</li> <li>no other disqualifying condition.</li> </ul>

# Congenital heart disease (CHD)

	Group 1 car and motorcycle	Group 2 bus and lorry
Asymptomatic	May drive and need not notify the DVLA if completely asymptomatic and does not fall under any other category which requires notification to the DVLA.	May drive but must notify the DVLA. Licence will be refused or revoked if CHD is complex or severe.  Otherwise, the DVLA may issue a licence subject to medical review at 1, 2 or 3 years, depending on specialist assessment and provided there is:  minor disease  successful repair of defects or relief of valvular problems, fistulae and so on  no other disqualifying condition.

continued

#### **Symptomatic**

Must not drive and must notify the DVLA.

Symptoms include angina, arrhythmias/palpitations, dyspnoea, uncontrolled hypertension, symptomatic heart failure, symptomatic heart valve disease.

For patients with congenital heart disease who have had ablation, pacemaker including CRT, ICD, heart valve intervention (surgical or percutaneous) or percutaneous cardiac/pulmonary devices (ASD/ VSD/coarctation/MAPCAs/pulmonarysystemic shunts etc). If symptoms develop after being asymptomatic or if fall under any other category which requires notification to the DVLA.

Individual assessment of symptomatic cases. Certain conditions may require a medical review licence to be issued for 1,2, or 3 years.

The DVLA may require specialist assessment to issue a licence, which may be subject to medical review at 1,2, or 3 years.

There must be no disqualifying condition.

Must not drive and must notify the DVLA. Licence will be refused or revoked if CHD is complex or severe.

Otherwise, the DVLA may issue a licence subject to medical review at 1, 2 or 3 years, depending on specialist assessment and provided there is:

- minor disease
- successful repair of defects or relief of valvular problems, fistulae and so on
- no other disqualifying condition.

#### For syncope, refer to Chapter 1

Transient loss of consciousness (page 21)

# **ECG** abnormality

# - suspected myocardial infarction

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA. There must be no other disqualifying condition.	<ul> <li>Must not drive and must notify the DVLA.</li> <li>May be relicensed/licensed only after at least 3 months, provided:</li> <li>exercise or other functional test requirements from the DVLA are met (see Appendix C, page 118)</li> <li>there is no other disqualifying condition.</li> </ul>

## Left bundle branch block

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA.  There must be no other disqualifying condition.	May drive but must notify the DVLA.  May be relicensed/licensed if:  myocardial perfusion scan or stress echocardiography requirements from the DVLA are met (see Appendix C, page 118)  there is no other disqualifying condition.

# **Pre-excitation**

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA.  There must be no other disqualifying condition.	May drive and need not notify the DVLA, except:  If associated with arrhythmia must meet the relevant requirements (see arrhythmias on page 52).  There must be no other disqualifying condition.

# O3 Diabetes mellitus

Diabetes mellitus	69
nsulin-treated diabetes	69
mpaired awareness of hypoglycaemia	71
Diabetes complications	71
Visual complications	71
Renal complications	71
Limb complications	72
Temporary insulin treatment	72
Diabetes treated by medication other then insulin	73
Diabetes managed by diet/lifestyle alone	74
Hypoglycaemia due to other causes	74
Pancreas transplant	74
slet cell transplantation	75

68

### **Diabetes mellitus**

#### Information sent to drivers

Insulin-treated drivers are sent a detailed letter from the DVLA explaining the licensing requirements and driving responsibilities.

All drivers with diabetes must follow the information provided in 'Information for drivers with diabetes', which includes a notice of when they must contact the DVLA (see Appendix D, page 122).

## Insulin-treated diabetes

#### Impaired awareness of hypoglycaemia

The Secretary of State's Honorary Medical Advisory Panel on Driving and Diabetes has defined impaired awareness of hypoglycaemia for Group 1 drivers as 'an inability to detect the onset of hypoglycaemia because of total absence of warning symptoms'. Group 2 drivers must have full awareness of hypoglycaemia.

#### Severe hypoglycaemia

'Severe' is defined as hypoglycaemia requiring another person's assistance.

# Group 1 car and motorcycle

Must meet the criteria to drive and must notify the DVLA.

All the following criteria must be met for the DVLA to license the person with insulin-treated diabetes for 1, 2 or 3 years:

- adequate awareness of hypoglycaemia
- no more than 1 episode of severe hypoglycaemia in the preceding 12 months
- practises appropriate blood glucose monitoring as defined in the box below
- not regarded as a likely risk to the public while driving
- meets the visual standards for acuity and visual field (see Chapter 6, visual disorders, page 93).

# Group 2 bus and lorry

Must meet the criteria to drive and must notify the DVLA.

All the following criteria must be met for the DVLA to license the person with insulin-treated diabetes for 1 year (with annual review as indicated last below):

- full awareness of hypoglycaemia
- no episode of severe hypoglycaemia in the preceding 12 months
- practises blood glucose monitoring with the regularity defined in the box below
- must use a glucose meter with sufficient memory to store 3 months of readings as detailed below
- demonstrates an understanding of the risks of hypoglycaemia
- no disqualifying complications of diabetes (see page 74) that would mean a licence being refused or revoked, such as visual field defect (see Chapter 6, visual disorders, page 93).

#### Group 1 recommendations and Group 2 requirements for insulin-treated drivers licensed on review

The Secretary of State's Honorary Medical Advisory Panel on Driving and Diabetes has defined the self-monitoring requirements for licensing as follows.

#### Group 1 car and motorcycle

- blood glucose testing no more than 2 hours before the start of the first journey and
- every 2 hours while driving
- applicants will be asked to sign an undertaking to comply with the directions of the healthcare professionals treating their diabetes and to report any significant change in their condition to the DVLA immediately.

More frequent self-monitoring may be required with any greater risk of hypoglycaemia (physical activity, altered meal routine).

#### Group 2 bus and lorry

- regular blood glucose testing at least twice daily including on days when not driving
- no more than 2 hours before the start of the first journey
- every 2 hours while driving.

More frequent self-monitoring may be required with any greater risk of hypoglycaemia (physical activity, altered meal routine), in which case a bus or lorry driver may be licensed if they:

use one or more glucose meters with memory functions to ensure 3 months of readings that will be available for assessment.

#### How the DVLA checks diabetes management requirements for insulin-treated Group 2 bus and lorry licensing

The DVLA takes the following measures to ensure the requirements are met for licensing of insulin-treated Group 2 bus and lorry drivers:

- requires the applicant's usual doctor who provides diabetes care to undertake an annual examination including review of the previous 3 months of glucose meter readings
- arranges an examination to be undertaken every 12 months by an independent consultant specialist in diabetes if the examination by their usual doctor is satisfactory
- at the examination, the consultant will require sight of blood glucose self-monitoring records for the previous 3 months stored on the memory of a blood glucose meter
- the license application process cannot start until an applicant's condition has been stable for at least 1 month
- applicants will be asked to sign an undertaking to comply with the directions of the healthcare professionals treating their diabetes and to report any significant change in their condition to the DVLA immediately.

#### Continuous glucose monitoring systems (CGMS)

Because these systems measure interstitial glucose, drivers must also monitor blood glucose levels as outlined immediately above.

70

# Impaired awareness of hypoglycaemia

## - 'hypoglycaemia unawareness'

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive and must notify the DVLA.  Driving may resume after a clinical report by a GP or consultant diabetes specialist confirms that hypoglycaemia awareness has been regained.	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Refer to the requirements for insulintreated diabetes on page 69.

# **Diabetes complications**

## **Visual complications**

## - affecting visual acuity or visual field

Group 1 car and motorcycle	Group 2 bus and lorry
May need to stop driving and notify the DVLA. Refer to Chapter 6, visual disorders (page 93).	Must not drive and must notify the DVLA.  The licence will be refused or revoked.  Refer to insulin-treated diabetes (page 69) and Chapter 6, visual disorders (page 93).

## **Renal complications**

Group 1 car and motorcycle	Group 2 bus and lorry
May need to stop driving and notify the DVLA.  Refer to Chapter 7, renal and respiratory disorders (page 101).	May need to stop driving and notify the DVLA. Refer to Chapter 7, renal and respiratory disorders (page 101).

## **Limb complications**

## including peripheral neuropathy

#### Group 1 car and motorcycle

Any complication such as peripheral neuropathy that means a driver must meet requirements (such as vehicle adaptations) for disabilities

May need to stop driving and notify the DVLA.

See Appendix F, disabilities and vehicle adaptations (page 128).

Limb problems or amputations are of themselves unlikely to prevent driving since they may be assisted by suitable vehicle adaptations. The ability to safely control a vehicle at all times is the essential requirement.

#### Group 2 bus and lorry

May need to stop driving and notify the DVLA.

See Appendix F, disabilities and vehicle adaptations (page 128).

Limb problems or amputations are of themselves unlikely to prevent driving since they may be assisted by suitable vehicle adaptations. The ability to safely control a vehicle at all times is the essential requirement.

## Temporary insulin treatment

## - including gestational diabetes or post-myocardial infarction

# Group 1

**Trial participants** for oral or inhaled insulin are also examples to be included as receiving temporary insulin treatment

# car and motorcycle

May drive and need not notify the DVLA, provided:

- under medical supervision
- not advised by clinician as at risk of disabling hypoglycaemia.

May continue to drive but must notify the DVLA if:

- disabling hypoglycaemia occurs
- treatment continues for more than 3 months - or in gestational diabetes, continues for 3 months after delivery.

#### Group 2 bus and lorry

Must notify the DVLA and meet the above standards.

## Diabetes treated by medication other than insulin

### Severe hypoglycaemia

The Secretary of State's Honorary Medical Advisory Panel on Driving and Diabetes has defined 'severe' as hypoglycaemia requiring another person's assistance.

### Group 1 car and motorcycle

### Group 2 bus and lorry

### Managed by tablets carrying hypoglycaemia risk

### Including sulphonylureas and glinides

May drive and need not notify the DVLA, provided:

- no more than 1 episode of severe hypoglycaemia in the last 12 months
- if needed, detection of hypoglycaemia is by appropriate blood glucose monitoring at times relevant to driving and clinical factors, including frequency of driving
- under regular review.

It is appropriate to offer self monitoring of blood glucose at times relevant to driving to enable the detection of hypoglycaemia.

If the above requirements and those set out in Appendix D (page 122) are met, the DVLA need not be informed.

The DVLA must be notified if clinical information indicates the agency may need to undertake medical enquiries.

May drive but must notify the DVLA.

All the following criteria must be met for the DVLA to issue a licence for 1, 2 or 3 years:

- no episode of severe hypoglycaemia in the last 12 months
- full awareness of hypoglycaemia
- regular self-monitoring of blood glucose - at least twice daily and at times relevant to driving i.e. no more than 2 hours before the start of the first journey and every 2 hours while driving
- demonstrates an understanding of the risks of hypoglycaemia
- has no disqualifying complications of diabetes that mean a licence will be refused or revoked, such as visual field defect.

### Managed by other medication, including non-insulin injectables

### **Excluding** sulphonylureas and glinides

May drive and need not notify the DVLA, provided the requirements set out in Appendix D (page 122) are met and the driver is under regular medical review.

May drive but must notify the DVLA if clinical information indicates the agency may need to undertake medical enquiries.

May drive but must notify the DVLA.

The DVLA may issue a licence if the requirements set out in Appendix D (page 122) are met and the driver is under regular medical review.

A licence is refused or revoked if relevant disqualifying complications have developed, such as diabetic retinopathy affecting visual acuity or visual fields.

A short-term licence may be issued if diabetes complications have developed but the required medical standards have been met.

## Diabetes managed by diet/lifestyle alone

Group 1 car and motorcycle	Group 2 bus and lorry
<ul> <li>May drive and need not notify the DVLA.</li> <li>Must not drive and must notify the DVLA if, for example:</li> <li>relevant disqualifying complications develop such as diabetic retinopathy affecting visual acuity or visual fields</li> <li>insulin treatment is required (see the requirements for insulin-treated diabetes on page 69).</li> </ul>	<ul> <li>May drive and need not notify the DVLA.</li> <li>Must not drive and must notify the DVLA if, for example:</li> <li>relevant disqualifying complications develop such as diabetic retinopathy affecting visual acuity or visual fields</li> <li>insulin treatment is required (see the requirements for insulin-treated diabetes on page 69).</li> </ul>

## Hypoglycaemia due to other causes

Group 1 car and motorcycle	Group 2 bus and lorry
If there are episodes of severe hypog than diabetes treatment driving must sto Examples include hypoglycaemia post-b eating disorders, and the restriction applie and lorry drivers.	p while the liability to episodes remains. ariatric surgery or in association with

## **Pancreas transplant**

Group 1 car and motorcycle	Group 2 bus and lorry
May drive but must notify the DVLA. Licensing is on the provision that the patient has no disqualifying condition. If the patient is on insulin, refer to page 69 for the section on insulin-treated diabetes.	May drive but must notify the DVLA. Licensing will require individual assessment. If the patient is on insulin, refer to page 69 for the section on insulin-treated diabetes.

## Islet cell transplantation

Group 1 car and motorcycle	Group 2 bus and lorry
May drive but must notify the DVLA. Licensing is on the provision that the patient has no disqualifying condition, and is issued for a term requiring medical review. If the patient is on insulin, refer to page 69 for the section on insulin-treated diabetes.	May drive but must notify the DVLA. Licensing will require individual assessment. If the patient is on insulin, refer to page 69 for the section on insulin-treated diabetes.

# O4 Psychiatric disorders

Anxiety or depression	77
Severe anxiety or depression	77
Acute psychotic disorder	78
Hypomania or mania	79
Schizophrenia	80
Pervasive developmental disorders	81
Mild cognitive impairment	81
Dementia	82
Learning disability	83
Behavioural disorders	84
Personality disorders	84

## **Anxiety or depression**

### - mild to moderate

### Group 1 car and motorcycle

Without significant memory or concentration problems, agitation, behavioural disturbance or suicidal thoughts

May drive and need not notify the DVLA.

See Appendix E, page 126 for medication considerations relevant to driving.

### Group 2 bus and lorry

May drive and need not notify the DVLA, provided the illness is short-lived.

For other cases, refer to 'severe' below. See Appendix E, page 126 for medication considerations relevant to driving.

### Persistent alcohol and/or drug misuse or dependence

- See Chapter 5, page 85.
- If psychiatric illness has been associated with substance misuse, continued misuse contraindicates driving and licensing.

## Severe anxiety or depression

Note: effects of severe illness are of greater importance for their relevance to driving than medication – but see Appendix E, page 126 for additional considerations, on medication.

### Group 1 car and motorcycle

Significant memory or concentration problems, agitation, behavioural disturbance or suicidal thoughts

Must not drive and must notify the DVLA.

Licensing will depend on the outcome of medical enquiries, and the DVLA will require a period of stability.

Particular danger would be posed by those who may attempt suicide at the wheel.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Licensing will depend on the outcome of medical enquiries, and the DVLA will require a period of stability.

Particular danger would be posed by those who may attempt suicide at the wheel.

Licensing may be granted after 6 months if:

- the person has been well and stable and
- is not taking medication with side effects that would affect alertness or concentration.

continued

The DVLA may need reports from a specialist in psychiatry.

Driving is usually permitted after 6 months if the anxiety or depression has been long-standing but symptoms are under control and if maintenance on a dosage of psychotropic medication does not cause impairment.

## Acute psychotic disorder

### Persistent alcohol and/or drug misuse or dependence

See Chapter 5, page 85.

Without significant

problems, agitation,

memory or

behavioural

concentration

disturbance or

suicidal thoughts

If psychiatric illness has been associated with substance misuse, continued misuse contraindicates driving and licensing.

### Group 1 car and motorcycle

Must not drive during acute illness and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 3 months
- adheres to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject to a suitable specialist report being favourable.

Drivers with a history of instability and/or poor engagement with treatment will be required not to drive for a longer period before any relicensing.

### Group 2 bus and lorry

Must not drive during acute illness and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 12 months
- adheres to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject to a favourable report from a specialist in psychiatry.

The minimum effective antipsychotic dosage should be sought, in line with good practice. Drug tolerability should be optimal and not associated with any deficits that might impair driving, such as to alertness, concentration or motor performance.

Established illness with a history suggesting a likelihood of relapse: the risk of this needs to be considered

The DVLA will normally require the report of a specialist in psychiatry that specifically addresses the above issues as relevant to driving before it may grant a licence.

## Hypomania or mania

### Persistent alcohol and/or drug misuse or dependence

- See Chapter 5, page 85.
- If psychiatric illness has been associated with substance misuse, continued misuse contraindicates driving and licensing.

### For Group 2 bus and lorry driving, in both stable and unstable conditions:

- the minimum effective dosage of any antipsychotic medication should be sought, in line with good practice. Drug tolerability should be optimal and not associated with any deficits that might impair driving, such as to alertness, concentration or motor performance
- established illness with a history to suggest a likelihood of relapse: the risk of this must be considered low.

### Group 1 car and motorcycle

### Group 2 bus and lorry

### Stable

There must be no driving during any acute illness.

Must not drive and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 3 months
- adheres to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject to a suitable specialist report being favourable.

Must not drive and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 12 months
- adheres to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject of a favourable report from a specialist in psychiatry.

See note above for both stable and unstable conditions.

Unstable: 4 or more episodes of significant mood swing in the previous 12 months.

Particular danger would be posed by driving if there is hypomania or mania with repeated change of mood.

In all cases, there must be no driving during any acute illness.

Must not drive and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 6 months
- adheres to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject to a suitable specialist report being favourable.

Must not drive and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 12 months
- adheres to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject of a favourable report from a specialist in psychiatry.

See note above for both stable and unstable conditions.

## **Schizophrenia**

There must be no

driving during any

Driving would be

symptoms relate

to other road users

particularly dangerous

acute illness

if psychotic

### - and other chronic relapsing/remitting disorders

### Persistent alcohol and/or drug misuse or dependence

- See Chapter 5, page 85.
- If psychiatric illness has been associated with substance misuse, continued misuse contraindicates driving and licensing.

### Group 1 car and motorcycle

Must not drive and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 3 months
- adheres adequately to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject to a suitable specialist report being favourable.

Continuing symptoms: even with limited insight, these do not necessarily preclude licensing.

Symptoms should be unlikely to cause significant concentration problems, memory impairment or distraction while driving.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Licensing may be considered if all of these conditions are met:

- remained well and stable for at least 12 months. A longer period of stability may be required if there is a history of relapses
- adheres strictly to any agreed treatment plan
- regained insight
- free from any medication effects that would impair driving
- subject of a favourable report from a specialist in psychiatry.

### Further:

- the minimum effective dosage of any antipsychotic medication should be sought, in line with good practice. Drug tolerability should be optimal and not associated with any deficits that might impair driving, such as to alertness, concentration or motor performance
- established illness with a history suggesting a likelihood of relapse: the risk of this must be considered low

## Pervasive developmental disorders and ADHD

May be able to drive but must

## Group 1 car and motorcycle

notify the DVLA.

impulsivity

### Group 2 bus and lorry

Any pervasive disorder including attention deficit hyperactivity disorder (ADHD), Asperger's syndrome, autism spectrum disorders (ASD) and severe communication disorders

Guidance relating to learning disability is on

page 83

A diagnosis of any of these conditions is not in itself a bar to licensing. The DVLA considers factors such as the level of:

> awareness of impacts of behaviours on self or others.

May be able to drive but must notify the DVLA.

Licensing will be considered individually following medical enquiries.

Licensing may be granted if continuing symptoms are minor.

## Mild cognitive impairment (not mild dementia)

	Group 1 car and motorcycle	Group 2 bus and lorry
No likely driving impairment	May drive and need not notify the DVLA.	May drive and need not notify the DVLA.
Possible driving impairment	It is difficult to assess driving ability in people with MCI. The DVLA acknowledges that there are varied presentations and rates of progression, and the decision on licensing is usually based on medical reoprts.  Considerations include:  poor short-term memory, disorientation, and lack of insight and judgement almost certainly not fit to drive  disorders of attention causing impairment.  A licence may be issued subject to review.	It is difficult to assess driving ability in people with MCI. The DVLA acknowledges that there are varied presentations and rates of progression, and the decision on licensing is usually based on medical reoprts.  Considerations include:  poor short-term memory, disorientation, and lack of insight and judgement almost certainly not fit to drive  disorders of attention causing impairment.  A licence may be issued subject to review.

### Persistent alcohol and/or drug misuse or dependence

- See Chapter 5, page 85.
- If psychiatric illness has been associated with substance misuse, continued misuse contraindicates driving and licensing.

### **Dementia**

### - and/or any organic syndrome affecting cognitive functioning

### Group 1 Group 2 car and motorcycle bus and lorry May be able to drive but must Must not drive and must notify the DVLA. notify the DVLA. It is difficult to assess driving ability Licensing will be refused or revoked. in people with dementia. The DVLA acknowledges that there are varied presentations and rates of progression, and the decision on licensing is usually based on medical reports. Considerations include: poor short-term memory, disorientation, and lack of insight and judgement almost certainly mean no fitness to drive disorders of attention cause impairment ■ in early dementia, when sufficient skills are retained and progression is slow, a licence may be issued subject to annual review. A formal driving assessment may be necessary (see Appendix G, page 129).

## **Learning disability**

### Definition of severe learning disability followed by the DVLA

Significantly below average general intellectual functioning, accompanied by severe limitations in adaptive functioning in at least two of these areas:

- communication
- self-care
- home-living
- social/interpersonal skills
- self-direction

- functional academic skills
- work
- leisure
- health and safety

	Group 1 car and motorcycle	Group 2 bus and lorry
Mild learning disability Learning difficulty is not included. Dyslexia, dyscalculia, and so on, are no bar to ordinary Group 1 licences being awarded after successful driving tests, and the DVLA need not be informed	May be able to drive but must notify the DVLA. Licensing will be granted provided there are no other relevant problems. The DVLA may require an assessment of adequate functional ability at the wheel. It is expected that a full Group 1 licence would already be held following a DVSA driving test pass.	May be able to drive but must notify the DVLA. Licensing will be granted provided there are no other relevant problems. The DVLA may require an assessment of adequate functional ability at the wheel. It is expected that a full Group 1 licence would already be held.
Severe	Must not drive and must notify the DVLA. Licensing will be refused.	Must not drive and must notify the DVLA. Licensing will be refused.

### **Behavioural disorders**

### - including post-head injury, non-epileptic seizures

### Group 1 car and motorcycle

Group 2 bus and lorry

Severe disturbance from syndrome post-head injury, for example

Must not drive and must notify the DVLA.

Licensing will be refused or revoked if there is serious disturbance - for example, violent behaviour or alcohol abuse likely to be a source of danger at the wheel.

Licensing may be granted after medical reports confirm satisfactory control of behavioural disturbances.

Must not drive and must notify the DVLA.

Licensing will be refused or revoked if there is serious disturbance - for example, violent behaviour or alcohol abuse likely to be a source of danger at the wheel.

Licensing may be granted if a specialist confirms stability.

## **Personality disorders**

### Group 1 car and motorcycle

### Group 2 bus and lorry

Severe disturbance

May be able to drive but must notify the DVLA.

Licensing will be refused or revoked if there is likely to be danger at the wheel.

Licensing may be granted if behavioural disturbance is:

- not related to driving
- not likely to adversely affect driving and road safety.

Must not drive and must notify the DVLA.

Licensing will be refused or revoked if there is likely to be danger at the

 Licensing may be given consideration if a specialist confirms stability.

# O5 Drug or alcohol misuse or dependence

Alcohol misuse	86
Alcohol dependence	86
Alcohol-related disorders	87
Alcohol-related seizure	87
Drug misuse or dependance	90
Seizure associated with drug use	92

### **Alcohol misuse**

### Guide to definition of misuse

There is no single definition to embrace all the variables within alcohol misuse - but the DVLA offers the following:

"A state that causes, because of consumption of alcohol, disturbance of behaviour, related disease or other consequences likely to cause the patient, their family or society present or future harm and that may or may not be associated with dependence."

The World Health Organization's classification (ICD-10) code F10.1 is relevant.

### Group 1 car and motorcycle

### Persistent alcohol misuse

confirmed by medical enquiry and/or evidence of otherwise unexplained abnormal blood markers

Must not drive and must notify the DVLA.

Licence will be refused or revoked until after:

- a minimum of 6 months of controlled drinking or abstinence, and
- normalisation of blood parameters.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Licence will be refused or revoked until after:

- a minimum of 1 year of controlled drinking or abstinence, and
- normalisation of blood parameters.

## Alcohol dependence

### Guide to definition of dependence

There is no single definition to embrace all the variables within alcohol dependence but the DVLA offers the following:

"A cluster of behavioural, cognitive and physiological phenomena that develop after repeated alcohol use, including:

- a strong desire to take alcohol
- difficulties in controlling its use
- persistent use in spite of harmful consequences
- and with evidence of increased tolerance and sometimes a physical withdrawal state."

Indicators may include any history of withdrawal symptoms, tolerance, detoxification or alcohol-related seizures.

The World Health Organization's classification (ICD-10) code F10.2 is relevant.

## Group 1 car and motorcycle

## Group 2 bus and lorry

## Dependence confirmed by medical enquiry

Also refer to alcohol related seizure below

Must not drive and must notify the DVLA.

Licence will be refused or revoked until after a minimum of 1 year free of alcohol problems.

Abstinence is usually required, with normalised blood parameters if relevant.

Must not drive and must notify the DVLA.

Licence will be refused or revoked in all cases of any history of alcohol dependence within the past 3 years.

### For both driving groups:

- licensing will require satisfactory medical reports from a doctor
- the DVLA may need to arrange independent medical examination and blood tests
- referral to and the support of a consultant specialist may be necessary.

### **Alcohol-related disorders**

## Group 1 car and motorcycle

## Group 2 bus and lorry

### **Examples**

- hepatic cirrhosis with chronic encephalopathy
- alcohol induced psychosis
- cognitive impairment

Must not drive and must notify the DVLA.

Licence will be refused or revoked until:

- recovery is satisfactory
- any other relevant medical standards for fitness to drive are satisfied (for example, Chapter 4, psychiatric disorders, page 76).

Must not drive and must notify the DVLA.

Licence will be refused or revoked until recovery is satisfactory.

### **Alcohol-related seizure**

Seizures associated with alcohol use are **not** considered provoked in terms of licensing. If there is **more than one seizure**, the regulations governing epilepsy will apply to drivers in both groups (see Appendix B, page 113).

Solitary seizure

## Group 1

## car and motorcycle

### Must not drive and must notify the DVLA.

Licence will be refused or revoked for a minimum of 6 months from the date of the solitary alcohol-related seizure (for details see Chapter 1, neurological disorders, pages 16, 17 and Appendix B).

Subsequent licensing requires that the fitness standards elsewhere in this chapter are satisfied whenever there is a background of alcohol misuse and/or dependence to the seizure, and will include requirements for:

- an appropriate period free from persistent alcohol misuse and/or dependence
- independent medical assessment. Blood analysis and consultant specialist reports usually necessary.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Licence will be refused or revoked for a minimum of 5 years from the date of the solitary alcohol-related seizure, (for details see Chapter 1, neurological disorders, pages 16, 17 and Appendix B).

Subsequent licensing requires:

- no underlying cerebral structural abnormality
- no epilepsy medication for at least 5 years
- maintained abstinence from alcohol if previously dependent
- review by a specialist in addiction and a specialist in neurology.

### **High risk offenders**

Defined in terms of the alcohol-related driving convictions below, the courts notify the DVLA of high risk offenders.

An independent medical examination will be arranged when an application for licence reinstatement is received by the DVLA. The assessment includes:

- questionnaire
- serum CDT assay
- any further testing indicated.

If a licence is awarded, the 'til 70 licence is restored for Group 1 car and motorcycle driving. Consideration may be given to a Group 2 licence.

If a high risk offender has a previous history of alcohol dependence or persistent misuse but has satisfactory examination and blood tests, a short period licence is issued for ordinary and vocational entitlement but is dependent on their ability to meet the standards as specified.

A high risk offender found to have a current history of alcohol misuse or dependence and/or unexplained abnormal blood test results will have the application refused.

### **Definition**

The high risk offender scheme applies to drivers convicted of the following:

- one disqualification for driving or being in charge of a vehicle when the level of alcohol in the body equalled or exceeded either one of these measures:
  - 87.5 mcg per 100 ml of breath
  - 200.0 mg per 100 ml of blood
  - 267.5 mg per 100 ml of urine
- two disqualifications within the space of 10 years for drink-driving or being in charge of a vehicle while under the influence of alcohol
- one disqualification for refusing or failing to supply a specimen for alcohol analysis
- one disqualification for refusing to give permission for a laboratory test of a specimen of blood for alcohol analysis.

## Drug misuse or dependence

Group 1

The relevant classification codes for drug misuse or dependence are World Health Organization F11 to F19 inclusive (ICD-10).

The below requirements apply to cases of single-substance misuse or dependence, whereas multiple problems - including with alcohol misuse or dependence - are not compatible with fitness to drive or licensing consideration, in both groups of driver.

## **Group 2**

bus and lorry

### **Drug group**

- cannabis
- amphetamines (but see methamphetamine drug group below)
- 'ecstasy' (MDMA)
- ketamine
- other psychoactive substances, including LSD and hallucinogens

Must not drive and must notify the DVLA with persistent misuse or dependence.

car and motorcycle

Medical enquiry confirming the problem will result in licence being refused or revoked:

for a minimum of 6 months, which must be free of misuse or dependence.

**Except** in the case of ketamine:

- for a minimum of 6 months drug-free after misuse, or
- for a minimum of 12 months that must be free of dependence
- and may require an independent consultant or specialist assessment and urine screen arranged by the DVLA.

Must not drive and must notify the DVLA with persistent misuse or dependence.

Medical enquiry confirming the problem will result in licence being refused or revoked:

for a minimum of 1 year, which must be free of misuse or dependence.

Relicensing will usually require an independent medical assessment and urine screen arranged by the DVLA.

### Note on methadone

Full compliance with an oral methadone maintenance programme supervised by a consultant specialist or an appropriate health care practitioner may allow licensing subject to favourable assessment and, usually, annual medical review. Similar criteria may apply for an oral buprenorphine programme. There should be no evidence of continued use of other substances, including cannabis.

continued

### Group 1 car and motorcycle

### Group 2 bus and lorry

### **Drug group**

- heroin
- morphine
- methadone (note on compliance, page 90)
- cocaine
- methamphetamine

### Benzodiazepines

Note on therapy versus persistent misuse below.

Must not drive and must notify the DVLA with persistent misuse or dependence.

Medical enquiry confirming the problem will result in licence being refused or revoked for a minimum of 1 year, which must be free of misuse or dependence.

Relicensing may require an independent medical assessment and urine screen arranged by the DVLA.

Applicants or drivers complying fully with a consultant or appropriate healthcare practitioner supervised oral methadone maintenance programme may be licensed subject to favourable assessment and normally annual medical review. Applicants or drivers on an oral buprenorphine programme may be considered applying the same criteria. There should be no evidence of continuing use of other substances, including cannabis.

Must not drive and must notify the DVLA with persistent misuse or dependence.

Medical enquiry confirming the problem will result in licence being refused or revoked for a minimum of 3 years, which must be free of misuse or dependence.

Relicensing will usually require an independent medical assessment and urine screen arranged by the DVLA.

Applicants or drivers complying fully with a consultant or appropriate healthcare practitioner supervised oral methadone maintenance programme may be considered for an annual medical review licence, once a minimum 3 year period of stability on the maintenance programme has been established with favourable random urine tests and assessment. Expert panel advice will be required in each case.

### Note on benzodiazepines

The non-prescribed use of these agents and/or the use of a supratherapeutic dosage outside BNF guidelines constitutes persistent misuse or dependence for licensing purposes - whether in a programme of substance withdrawal or maintenance, or otherwise.

The prescribed use of these drugs at the therapeutic doses listed in the BNF, without evidence of impairment, does not amount to persistent misuse or dependence for licensing purposes (albeit, clinical dependence may exist).

## Seizure associated with drug use

Seizures associated with drug use are not considered provoked In terms of licensing. If there is more than one seizure, the regulations governing epilepsy will apply to drivers in both groups (see Appendix B, page 113).

### Group 1 car and motorcycle

### Group 2 bus and lorry

### Solitary seizure

Must not drive and must notify the DVLA.

Licence will be refused or revoked for a minimum of 6 months after the solitary drug-related seizure (for details see Chapter 1, neurological disorders, pages 16, 17 and Appendix B).

Subsequent licensing requires that the fitness standards elsewhere in this chapter are satisfied whenever there is a background of substance misuse or dependence to the seizure, and will include requirements for:

- an appropriate period free from persistent drug misuse and/or dependence
- independent medical assessment
- usually, urine analysis and consultant specialist reports.

Must not drive and must notify the DVLA.

Licence will be refused or revoked for a minimum of 5 years after the solitary drug-related seizure (for details see Chapter 1, neurological disorders, pages 16, 17 and Appendix B).

Subsequent licensing requires:

- an appropriate period free from persistent drug misuse and/or dependence
- no underlying cerebral structural abnormality
- no epilepsy medication for at least
- maintained abstinence from drugs if previously dependent
- review by a specialist in addiction and a specialist in neurology.

Relicensed drivers with former drug misuse or dependence should be advised as part of their after-care that recurrence would mean they must stop driving and must notify the DVLA.



# O6 Visual disorders

Minimum eyesight standards	94
Higher standard of visual acuity for bus and lorry drivers	94
Minimum standards for field of vision	95
Higher standards of field of vision for bus and lorry drivers	96
Cataract	97
Monocular vision	98
Visual field defects	99
Diplopia	99
Night blindness1	00
Colour blindness 1	00
Blepharospasm1	00

## Minimum eyesight standards

### - all drivers

The law requires that all licensed drivers meet the following eyesight requirements (including drivers aided by prescribed glasses or contact lenses):

- in good daylight, able to read the registration mark fixed to a vehicle registered under current standards
  - at a distance of 20 metres with letters and numbers 79mm high by 50mm wide on a car registered since 1 September 2001
  - at a distance of 20.5 metres with letters and numbers 79mm high by 57mm wide on a car registered before 1 September 2001

- the visual acuity must be at least Snellen 6/12 with both eyes open or in the only eye if monocular.
- Any driver unable to meet these standards must not drive and must notify the DVLA, which will refuse or revoke a licence.

The law also requires all drivers to have a minimum field of vision, as set out below.

Certification as sight impaired or severely sight impaired is not compatible with DVLA driver licensing; such certification is notifiable.

Bioptic telescope devices are not accepted by the DVLA for driving.

## Higher standard of visual acuity

### - bus and lorry drivers

Group 2 bus and lorry drivers require a higher standard of visual acuity in addition:

- a visual acuity (using corrective contact lenses where needed) of at least:
  - Snellen 6/7.5 (Snellen decimal 0.8) in the better eye
  - Snellen 6/60 (Snellen decimal 0.1) in the poorer eye
- if glasses are worn to meet the minimum standards, they should have a corrective power not exceeding +8 dioptres in any meridian of either lens.

### Minimum standards for field of vision

### all drivers

### The minimum field of vision for Group 1 driving is defined in the legislation:

"A field of at least 120° on the horizontal measured using a target equivalent to the white Goldmann III4e settings.

The extension should be at least 50° left and right. In addition, there should be no significant defect in the binocular field that encroaches within 20° of the fixation above or below the horizontal meridian."

This means that homonymous or bitemporal defects that come close to fixation, whether hemianopic or quadrantanopic, are not usually acceptable for driving.

### If the DVLA needs a visual field assessment for determining fitness to drive, it:

- requires the method to be a binocular Esterman field test
- may request monocular full field charts in specific conditions
- exceptionally, may consider a Goldmann perimetry assessment carried out to strict criteria.

The Secretary of State's Honorary Medical Advisory Panel for Visual Disorders and Driving advises that, for an Esterman binocular chart to be considered reliable for licensing, the false-positive score must be no more than 20%. When assessing monocular charts and Goldmann perimetry, fixation accuracy will also be considered.

### Defect affecting central area only (Esterman within 20 degree radius of fixation)

Only for the purposes of licensing Group 1 car and motorcycle driving:

- the following are generally regarded as acceptable central loss
  - scattered single missed points
  - a single cluster of up to 3 adjoining points.
- the following are generally regarded as unacceptable ('significant') central loss:
  - a cluster of 4 or more adjoining points that is either wholly or partly within the central 20° area
  - loss consisting of both a single cluster of 3 adjoining missed points up to and including 20° from fixation, and any additional separate missed points within the central 20° area
  - any central loss that is an extension of hemianopia or quadrantanopia of size greater than 3 missed points.

### Defect affecting the peripheral areas – width assessment

Only for the purposes of licensing Group 1 car and motorcycle driving:

- the following will be disregarded when assessing the width of field
  - a cluster of up to 3 adjoining missed points, unattached to any other area of defect. lying on or across the horizontal meridian
  - a vertical defect of only single-point width but of any length, unattached to any other area of defect, which touches or cuts through the horizontal meridian.

continued

### **Exceptional cases**

Group 1 drivers whose previous full driving entitlement was removed because of a field defect failing to satisfy the standard may be eligible for individual relicensing consideration as exceptional cases under the following strict criteria:

- defect must have been
  - present for at least 12 months
  - caused by an isolated event or a non-progressive condition
- there must be no other condition or pathology regarded as progressive and likely to be affecting the visual fields (panel's advice is that certain medical conditions, for example glaucoma and retinitis pigmentosa, would always be considered as progressive and so could not be considered as exceptional cases)
- sight in both eyes
- no uncontrolled diplopia
- no other impairment of visual function, including
  - no glare sensitivity, contrast sensitivity or impairment of twilight vision
- clinical confirmation of full functional adaptation.

For exceptional cases considered to be potentially licensable under these criteria, the DVLA will then require a satisfactory practical driving assessment at an approved centre (see Appendix G, page 129).

### Static visual field defect

For prospective learner drivers with a static visual field defect, a process is now in place to apply for a provisional licence. Details are on the DVLA website: www.gov.uk/government/publications/static-visual-field-defects-new-process

Monocular individuals cannot be considered as exceptional cases under the above criteria.

## Higher standards of field of vision

### bus and lorry drivers

The minimum standard for the field of vision is defined by the legislation for Group 2 bus and lorry licensing as:

- a measurement of at least 160° on the horizontal plane
- extensions of at least 70° left and at least 70° right
- extensions of at least 30° above and at least 30° below the horizontal plane
- no significant defect within 70° left and 70° right between 30° up and 30° down (it would be acceptable to have a total of up to 3 missed points, which may or may not be contiguous\*)
- no defect is present within a radius of the central 30°
- no other impairment of visual function, including no glare sensitivity, contrast sensitivity or impairment of twilight vision.

(\*Points tested in the 'letterbox' outside the central radius of 30° from fixation.)

continued

For Group 2 bus and lorry driving, it would be acceptable for a defect on visual field charts to have an upper limit of a total of 3 missed points – which may be contiguous – within the letterbox but outside the central 30° radius.

A total of more than 3 missed points, however – even if not contiguous – would not be acceptable for Group 2 driving because of the higher standards required.

Note that no defects of any size within the letterbox are licensable if a contiguous defect outside it means the combination represents more than 3 missed points.

Note Exception 1 in 'Exceptions allowed by older licences' below.

### **Cataract**

### Group 1 Group 2 car and motorcycle bus and lorry Often safe to drive and may not Often safe to drive and may not need to notify the DVLA. need to notify the DVLA. The minimum standards set out for all The minimum standards for Group 2 drivers above must be met. drivers set out above must be met. Glare may counter an ability to pass Glare may counter an ability to pass the number plate test (of the minimum the number plate test (of the minimum requirements) even when cataracts requirements) even when cataracts allow apparently appropriate acuities. allow apparently appropriate acuities.

### Monocular vision

### Group 1 car and motorcycle

### Including, for any reason, making use of only one eye

Must not drive and may need to notify the DVLA.

For complete loss of vision in one eye (cases where there is any light perception in the affected eye are not considered monocular), the driver:

- must meet the same visual acuity and visual field standards as binocular drivers
- may drive only after clinical advice of successful adaptation to the condition.

Only those monocular people who fail to meet these requirements are required to notify the DVLA.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

The law bars licensing if in one eye there is:

- complete loss of vision or
- corrected acuity falls below Snellen 3/60 (Snellen decimal 0.05).

All Group 2 drivers must at least match the minimum standards for Group 1 visual acuity.

See also 'grandfather rights' below.

### Exceptions for visual acuity allowed by older licences ('grandfather rights')

The standards for Group 1 car and motorcycle licensing must be met before any of the following exceptions can be afforded to Group 2 bus and lorry drivers holding older licences.

### Visual acuity

### **Exception 1**

A driver must have been awarded a Group 2 bus and lorry licence before 1 March 1992, and be able to complete a satisfactory certificate of experience, to be eligible. If the licence was awarded between 2 March 1992 and 31 December 1996, visual acuity with corrective lenses if needed must be at least 6/9 in the better eye and at least 6/12 in the other eye; uncorrected visual acuity may be worse than 3/60 in one eye only.

### Monocularity

### **Exception 2**

Must have been awarded a Group 2 bus and lorry licence before 1 January 1991, with the monocularity declared before this date.

### **Exception 3**

Drivers with a pre-1997 Group 1 licence who are monocular may apply to renew their category C1 (vehicles 3.5t to 7.5t). They must be able to meet the minimum eyesight standards which apply to all drivers and also the higher standard of field of vision for Group 2 (bus and lorry) drivers.

### Visual field defects

### Group 1 car and motorcycle

### Group 2 bus and lorry

### Disorders such as:

- bilateral glaucoma
- bilateral retinopathy
- retinitis pigmentosa and others that produce a field defect, including partial or complete homonymous hemianopia/ quadrantanopia or complete bitemporal hemianopia.

Must notify the DVLA.

The national recommendations for visual field would need to be met.

See 'Exceptional cases' under the 'Minimum standards for field of vision - all drivers' (page 96, at the beginning of this chapter).

Must notify the DVLA.

The national recommendations for visual field would need to be met.

Licensing may be awarded if:

- horizontal visual field is at least 160°
- extension is at least 70° left and right, and 30° up and down
- no defects present within a radius of the central 30°.

## **Diplopia**

### Group 1 car and motorcycle



Must not drive and must notify the DVLA.

Driving may resume after the DVLA has received confirmation that the diplopia is controlled, for example by:

- glasses or
- a patch for which there is an undertaking to use it while driving (but note the requirements for monocular vision above).

Exceptionally, a stable uncorrected diplopia endured for 6 months or more may be licensable with the support a consultant specialist's report of satisfactory functional adaptation.

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Licensing will be refused or revoked permanently in cases of insuperable

Patching is not acceptable for licensing.


## Night blindness

Group 1 car and motorcycle	Group 2 bus and lorry
Must not drive and must notify the DVLA.  Driving may be licensed after individual consideration, provided the standards for visual acuity and field above are met.	Must not drive and must notify the DVLA.  Driving may be licensed after individual consideration, provided the standards for visual acuity and field above are met.

### **Colour blindness**

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA.	May drive and need not notify the DVLA.

## **Blepharospasm**



# **Renal and respiratory** disorders

Chronic renal failure	102
All other renal disorders	102
Disorders of respiratory function	103
Primary lung carcinoma	103

### Chronic renal failure

### Group 2 Group 1 car and motorcycle bus and lorry **Continuous** May drive and need not notify the Must notify the DVLA. ambulatory DVLA if there are no complications. Individual licensing will be assessed peritoneal No restriction to the 'til 70 licence against the presence of any: dialysis (CAPD) unless it must be refused or revoked severe electrolyte disturbance or haemodialysis due to: severe electrolyte disturbance significant symptoms, including the examples of significant symptoms, including the sudden disabling attacks of examples of dizziness or fainting sudden disabling attacks of impaired psychomotor or dizziness or fainting cognitive function. impaired psychomotor or cognitive function.

### All other renal disorders

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA unless the condition is associated with a disability likely to affect driving.	May drive and need not notify the DVLA unless the condition is associated with a disability or any significant symptoms likely to affect driving.

## **Disorders of respiratory function**

### - including asthma and COPD

## car and motorcycle

May drive and need not notify the DVLA unless any complications are associated with:

- cough syncope
- disabling dizziness
- fainting
- loss of consciousness.

Such sequelae need reference to requirements under 'Transient loss of consciousness' (from page 21 of Chapter 1, neurological disorders).

See also cough syncope in Chapter 1, page 27.

### Group 2 bus and lorry

May drive and need not notify the DVLA unless any complications are associated with:

- cough syncope
- disabling dizziness
- fainting
- loss of consciousness.

Such sequelae need reference to requirements under 'Transient loss of consciousness' (from page 21 of Chapter 1, neurological disorders). See also cough syncope in Chapter 1, page 27.

### Obstructive sleep apnoea

Refer to guidance concerning this condition under 'excessive sleepiness' (page 103) in Chapter 8, miscellaneous conditions.

## **Primary lung carcinoma**

### Group 1 car and motorcycle

May drive and need not notify the DVLA unless there is cerebral metastasis (refer to malignant brain tumours, page 35 of Chapter 1, neurological disorders).

### Group 2 bus and lorry

Must not drive and must notify the DVLA.

Only those drivers with non-small cell lung cancer staged T1 N0 M0 may be considered individually for licensing.

Other lung tumours require no driving for 1 year following definitive treatment. Subsequent licensing requires:

- satisfactory treatment success
- no brain scan evidence of intracranial metastases (refer to malignant brain tumours, page 35 of Chapter 1, neurological disorders).

# O Miscellaneous conditions

Excessive sleepiness	105
Profound deafness	106
Cancers	106
Acquired immune deficiency syndrome (AIDS)	
and HIV infection	107
Age-related fitness to drive	107
Fransplant	108
Devices or implants	108
Cognitive decline or impairment	109
Cognitive disability	109
Oriving after surgery	109
Temporary medical conditions	110
Fractures	110
Vedication effects	111

## **Excessive sleepiness**

## - including obstructive sleep apnoea syndrome For hypersomnias, see Chapter 1 neurological conditions

Excessive sleepiness having, or likely to have, an adverse effect on driving includes:

- obstructive sleep apnoea syndrome of any severity
- any other condition or medication that may cause excessive sleepiness.

Legislation states that objective sleep study measurements for driving assessment purposes should use the apnoea-hypopnea index (AHI). Recognising that not all sleep services use AHI, the DVLA will accept results of equivalent objective tests.

The 'Tiredness can kill' leaflet (INF159) is for drivers concerned about excessive sleepiness.

### Group 1 Group 2 car and motorcycle bus and lorry **Excessive sleepiness** Must not drive and must notify Must not drive but may not including due to mild need to notify the DVLA. the DVLA. obstructive sleep Driving may resume only after Driving may be licensed again once apnoea syndrome: satisfactory symptom control. control of symptoms is satisfactory. AHI below The DVLA will require a specialist's 15 (mild) on the confirmation of ongoing adherence apnoea-hypopnoea to treatment. index or equivalent Licensing is subject to review, usually sleep study measure annually. **Obstructive sleep** Must not drive and must notify Must not drive and must notify apnoea syndrome the DVLA. the DVLA. - moderate and severe This requirement also applies for This requirement also applies for apnoeas syndrome with a suspected diagnosis yet to be a suspected diagnosis yet to be sleepiness: confirmed. confirmed. AHI 15 to 29 (moderate) Subsequent licensing will require: Subsequent licensing will require: AHI 30 or more control of condition control of condition (severe) on the sleepiness improved sleepiness improved apnoea-hypopnoea index or equivalent treatment adherence. treatment adherence. sleep study measure The DVLA will need medical confirmation The DVLA will need medical confirmation of the above, and the driver must confirm of the above, and the driver must confirm review to be undertaken every 3 years at review to be undertaken annually at the the minimum. minimum. **Obstructive sleep** Must not drive but need not notify Must not drive but need not notify apnoea - moderate the DVLA. the DVLA. and severe apnoeas Driving may resume once associated Driving may resume once associated without sleepiness: symptoms such as poor concentration symptoms such as poor concentration AHI 15 to 29 (moderate) have been brought under control. have been brought under control. AHI 30 or more (severe) on the apnoea-hypopnoea index or equivalent sleep study measure

### Profound deafness

### Group 1 car and motorcycle

bus and lorry

Group 2

May drive and need not notify

the DVLA.

Ordinary eligibility for a 'til 70 licence.

Must be assessed but may not need to notify the DVLA.

For licensing, the paramount importance is placed on a proven ability to communicate in an emergency by:

- speech or
- suitable alternative, for example SMS text.

Inability is likely to result in a licence being refused or revoked.

### Cancers

### not covered in other chapters

### Group 1 car and motorcycle

### Group 2 bus and lorry

In both driving groups, fitness to drive is affected by the risk of seizure (Chapter 1, neurological disorders, non-epileptic seizures, page 19)

All cases of eye cancer must meet the minimum requirements for vision (Chapter 6, page 93).

Must be assessed but may not need to notify the DVLA.

If there is a likelihood of cerebral metastasis and seizure, the DVLA must be notified.

There must be no significant complication relevant to driving, such

- specific limb impairment, for example due to bone tumour, primary or secondary
- general impairment, for example due to advanced malignancy producing symptoms such as general weakness or cachexia that affects driving.

The effects of any cancer treatment must also be considered - the generally debilitating effects of chemotherapy and radiotherapy in particular.

Must be assessed but may not need to notify the DVLA.

Licensing requires specific consideration of the likelihood of cerebral metastasis and seizure, and there must be no complications, such as:

- specific limb impairment, for example due to bone tumour, primary or secondary
- general impairment, for example due to advanced malignancy producing symptoms such as general weakness or cachexia that affects driving.

The effects of any cancer treatment must also be considered – the generally debilitating effects of chemotherapy and radiotherapy in particular.

## **Acquired immune deficiency syndrome (AIDS)** and HIV infection

### **HIV infection without AIDS**

If there is no AIDS-defining illness, individuals with HIV may drive and do not need to inform the DVLA of their status.



	Group 1 car and motorcycle	Group 2 bus and lorry
AIDS diagnosed	May drive but must notify the DVLA. Licensing may be granted for medical review after 1, 2 or 3 years if enquiries from the DVLA find no disability likely to affect driving.	May drive but must notify the DVLA. Licensing will be considered individually. Eligibility will require no symptoms likely to affect driving and the maintenance of a CD4 count of 200 cells/microlitre for at least 6 months.

## Age-related fitness to drive

Older age is not necessarily a barrier to driving.

- Functional ability, not chronological age is important in assessments.
- Multiple comorbidity should be recognised as becoming more likely with advancing age and considered when advising older drivers.
- Discontinuation of driving should be given consideration when an older person or people around them - become aware of any combination of these potential age-related examples:
  - progressive loss of memory, impaired concentration and reaction time, or loss of confidence that may not be possible to regain.
- Physical frailty in itself would not necessarily restrict licensing, but assessment needs careful consideration of any potential impact on road safety.
- Age-related physical and mental changes vary greatly between individuals, though most will eventually affect driving.
- Professional judgement must determine what is acceptable decline and what is irreversible and/or a hazardous deterioration in health that may affect driving. Such decisions may require specialist opinion.

The DVLA has medical advisers ready to provide guidance to healthcare professionals. See contact details on page 14.

continued

	Group 1 car and motorcycle	Group 2 bus and lorry
Older age	When drivers reach the age of 70, they must confirm to the DVLA that they have no medical disability.  Drivers over 70 receive a licence for 3 years after fitness to drive has been declared, to include satisfactory completion of medical questions in the application.	<ul> <li>Bus and lorry drivers:</li> <li>must make fresh licence applications every 5 years from the age of 45</li> <li>annually from the age of 65.</li> <li>Each application must be accompanied by medical confirmation of satisfactory fitness to drive.</li> </ul>

## **Transplant**

### not covered in other chapters

- not covered in other chapters		
	Group 1 car and motorcycle	Group 2 bus and lorry
	May drive and need not notify the DVLA.  Except: there must be no other, or underlying condition that requires any restriction or notification to the DVLA.	May drive and need not notify the DVLA.  Except: there must be no other, or underlying condition that requires any restriction. Failing this, the DVLA must be notified and may require individual assessment.

## **Devices or implants**

## - not covered in other chapters

Group 1 car and motorcycle	Group 2 bus and lorry
May drive and need not notify the DVLA.  Except: there must be no other, or underlying condition that requires any restriction or notification to the DVLA.	May drive and need not notify the DVLA.  Except: there must be no other, or underlying condition that requires any restriction. Failing this, the DVLA must be notified and may require individual assessment.

# Cognitive decline or impairment after stroke or head injury

There is no single simple marker for the assessment of impaired cognitive function relevant to driving, although the satisfactory ability to manage day-to-day living could provide a yardstick of cognitive competence.

In-car, on-the-road assessments (Appendix G, page 129) are an invaluable way of ensuring, in valid licence holders, there are no features liable to present a high risk to road safety, including these examples:

visual inattention, notable distractibility, impaired multi-task performance.

The following are also important in showing there is no impairment likely to affect driving:

adequate performance in reaction times, memory, concentration and confidence.

# Cognitive disability

#### Group 1 Group 2 car and motorcycle bus and lorry Must not drive and must notify Must not drive and must notify the DVLA. the DVLA. Impairment of cognitive functioning is Impairment of cognitive functioning is not usually compatible with the driving not usually compatible with the driving of these vehicles. Mild cognitive of these vehicles. Mild cognitive disability may be compatible with safe disability may be compatible with safe driving - individual assessment will driving - individual assessment will be required. be required.

# **Driving after surgery**

# **Evaluating the likely effects of postoperative recovery**

Notwithstanding any restrictions or requirements outlined in other chapters of this document, drivers do not need to notify the DVLA of surgical recovery unless it is likely to affect driving and persist for more than 3 months.

Licence holders wishing to drive after surgery should establish with their own doctors when it would be safe to do so.

Any decision regarding returning to driving must take into account several issues, including:

- recovery from the effects of the procedure
- anaesthetic recovery from the effects of the procedure
- any distracting effect of pain
- analgesia-related impairments (sedation or cognitive impairment)
- other restrictions caused by the surgery, the underlying condition or any comorbidities.

Drivers have the legal responsibility to remain in control of a vehicle at all times.

Drivers must ensure they remain covered by insurance to drive after surgery.

# **Temporary medical conditions**

Drivers generally do not need to notify the DVLA of conditions for which clinical advice has indicated less than 3 months of no driving.

If the judgement of the treating clinician is that the DVLA needs to be notified, the healthcare professional should advise the patient to contact the DVLA.

Such a judgement may be necessary for any of a range of conditions that may temporarily affect driving, including, but not limited to:

- postoperative recovery (see 'Driving after surgery', page 109)
- severe migraine
- limb injuries expected to show normal recovery
- pregnancy associated with fainting or light-headedness
- hyperemesis gravidarum
- hypertension of pregnancy
- recovery following Caesarean section
- deep vein thrombosis or pulmonary embolism.

# **Fractures**

A driver does not need to notify the DVLA of a fracture, but if recovery post-fracture is prolonged for more than 3 months, the treating clinician should offer advice on a safe time to resume driving.

# Medication effects

It is an offence to drive or attempt to drive while unfit because of alcohol and/or drug use - and driving laws do not distinguish between illegal and prescribed drugs.

Drivers taking prescribed drugs subject to the drug-driving legislation will need to be advised to carry confirmation that these were prescribed by a registered medical practitioner.

Some prescription and over-the-counter medicines can affect driving skills through drowsiness, impaired judgement and other effects.

Prescribers and dispensers should consider any risk of medications, single or combined, in terms of driving - and advise patients accordingly.

Without providing an exhaustive list, the following drug groups require consideration:

- benzodiazepines these may cause sufficient sedation to make driving unsafe
- antidepressants sedating tricyclics have a greater propensity to impair driving than SSRIs, which are less sedating. Advice for individual driving safety should be considered carefully for all antidepressants
- antipsychotics many of these drugs will have some degree of sedating side effect via action on central dopaminergic receptors. Older drugs (chlorpromazine, for example) are highly sedating due to effects on cholinergic and histamine receptors. Newer drugs (olanzapine or quetiapine, for example) may also be sedating; others less so (risperidone, ziprasidone or aripiprazole, for example)
- opioids cognitive performance may be reduced with these, especially at the start of use, but neuro-adaptation is established in most cases. Driving impairment is possible because of the persistent miotic effects of these drugs on vision.

Also refer to Chapter 4, psychiatric disorders (page 76), and Chapter 5, drug or alcohol misuse and dependence (page 85).

# Appendix A

# The legal basis for the medical standards

The Secretary of State for Transport, acting through the DVLA, has the responsibility of ensuring all licence holders are fit to drive.

The legal basis of fitness to drive in the UK lies in the following legislation:

- European Commission's Third Directive on driving licences (2006/126/EC) which came into effect here on 19 January 2013
- Road Traffic Act 1988
- Motor Vehicles (Driving Licences) Regulations 1999 (as amended).

According to Section 92 of the Road Traffic Act 1988:

- A relevant disability is any condition which is either prescribed (by Regulations) or any other disability where driving is likely to be a source of danger to the public. A driver who is suffering from a relevant disability must not be licensed, but there are some prescribed disabilities where licensing is permitted provided certain conditions are met.
- Prospective disabilities are any medical conditions that, because of their progressive or intermittent nature, may develop into relevant disabilities in time. Examples are Parkinson's disease and early dementia. A driver with a prospective disability may be granted a driving licence for up to 5 years, after which renewal requires further medical review.

Sections 92 and 94 of the Road Traffic Act 1988 also cover drivers with physical disabilities who require adaptations to their vehicles to ensure safe control. These adaptations must be coded and shown on the licence. See Appendix F, disabilities and vehicle adaptations (page 128) and Appendix G, Mobility Centres and Driving Assessment Centres (page 129).

#### 'Serious neurological disorders'

Changes to Annex III of the EC Directive 2006/126/EC require that driving licences shall not be issued to, nor renewed for, applicants with serious neurological disorders, unless supported by the applicant's doctor.

A serious neurological disorder is defined for the purposes of driver licensing as any condition of the central or peripheral nervous system that has led, or may lead, to functional deficiency (sensory, including special senses, motor, and/or cognitive deficiency), and that could affect ability to drive.

When the DVLA evaluates the licensing of these applicants, it will consider the functional status and risk of progression. A short-term licence for renewal after medical review is generally issued whenever there is a risk of progression.

Further information relating to specific functional criteria is found in the following chapters:

- Chapter 1, neurological disorders (page 16)
- Chapter 4, psychiatric disorders (page 76)
- Chapter 6, visual disorders (page 93)
- Chapter 8, miscellaneous conditions excessive sleepiness (page 105).

# Appendix B

# **Epilepsy regulations and further guidance**

### The legislation governing drivers with epilepsy

The following two boxes extract the paragraphs of the Motor Vehicle (Driving Licences) Regulations 1999 (as amended) that govern the way in which epilepsy is 'prescribed' as a 'relevant' disability for Group 1 or Group 2 drivers (also see Appendix A, the legal basis for the medical standards, page 112).

# Group 1 car and motorcycle

- Epilepsy is prescribed for the purposes of section 92(2) of the Traffic Act 1988 as a relevant disability in relation to an applicant for, or a holder of, a Group 1 licence who has had 2 or more epileptic seizures during the previous 5-year period.
- (2A) Epilepsy is prescribed for the purposes of section 92(4) of the Traffic Act 1988 in relation to an applicant for a Group 1 licence who satisfies the conditions set out in paragraph (2F) below and who has either:
  - a) been free from any unprovoked seizure during the period of 1 year immediately preceding the date when the licence is granted

- b) during that 1 year period has suffered no unprovoked seizure other than a permitted seizure.
- (2B) A permitted seizure for the purposes of paragraph (2A) b) is a seizure which can include a medication-adjustment seizure – falling within only one of the:
  - a) permitted patterns of seizure

- b) a medication-adjustment seizure, where:
  - i. that medication-adjustment seizure does not fall within a permitted pattern of seizure
  - ii. previously effective medication has been reinstated for at least 6 months immediately preceding the date when the licence is granted
  - iii. that seizure occurred more than 6 months before the date when the licence is granted

and

iv. there have been no other unprovoked seizures since that seizure

- c) a seizure occurring before a medication-adjustment seizure permitted under sub-paragraph (b) immediately above, where:
  - i. that earlier seizure has, to that point, formed part of only one permitted pattern of seizure and has occurred prior to any medication-adjustment seizure not falling within the same permitted pattern
  - ii. it is a medication-adjustment seizure, which was not followed by any other type of unprovoked seizure, except for another medication-adjustment seizure.

continued

- (2C) A permitted pattern of seizure for the purposes of paragraph (2B) is a pattern of seizures:
  - a) occurring during sleep, where:
    - i. there has been a seizure while asleep more than 1 year before the date when the licence is granted
    - ii. there have been seizures only while asleep between the date of that seizure while asleep and the date the licence is granted and
    - iii. there has never been an unprovoked seizure while awake

- b) occurring during sleep, where:
  - i. there has been a seizure while asleep more than 3 years before the date when the licence is granted;
  - ii. there have been seizures only while asleep between the date of that seizure while asleep and the date the licence is granted
  - iii. there is also a history of unprovoked seizure while awake, the last of which occurred more than 3 years before the date when the licence is granted

#### or

- c) without influence on consciousness or the ability to act, where:
  - i. such a seizure has occurred more than 1 year before the date when the licence is granted
  - ii. here have only been such seizures between the date of that seizure and the date when the licence is granted and
  - iii. there has never been any other type of unprovoked seizure.
- (2D) An isolated seizure is prescribed for the purposes of section 92(2) of the Traffic Act 1988 as a relevant disability in relation to an applicant for, or a holder of, a Group 1 licence:
  - a) in a case where there is an underlying causative factor that may increase future risk, where such a seizure has occurred during the previous 1 year period and
  - b) in any other case, where such a seizure has occurred during the previous 6 month period.

continued

- (2E) An isolated seizure is prescribed for the purposes of section 92(4) b) of the Traffic Act 1988 in relation to an applicant for a Group 1 licence:
  - a) who:
    - i. in a case where there is an underlying causative factor that may increase future risk, has had such a seizure more than 1 year immediately before the date when the licence is granted
    - ii. in any other case, has had such a seizure more than 6 months immediately before the date when the licence is granted
  - b) who has had no other unprovoked seizure since that seizure and
  - c) who satisfies the condition set out in paragraph (2F).
- (2F) The conditions mentioned immediately above are that:
  - a) so far as is predictable, the applicant complies with the directions regarding treatment for epilepsy or isolated seizure, including directions as to regular medical check-ups made as part of that treatment, which may from time to time be given by a registered medical practitioner or one of the clinical team working under the supervision of that registered medical practitioner
  - b) if required to do so by the Secretary of State, the applicant has provided a signed declaration agreeing to observe the condition in sub-paragraph a) immediately above
  - c) if required by the Secretary of State, there has been an appropriate medical assessment by a registered medical practitioner

d) the Secretary of State is satisfied that the driving of a vehicle by the applicant in accordance with the licence is not likely to be a source of danger to the public.

# **Group 2 bus and lorry**

- (8A) Epilepsy is prescribed for the purposes of section 92(4) b) of the Traffic Act 1988 in relation to an applicant for a group 2 licence who:
  - a) in the case of a person whose last epileptic seizure was an isolated seizure satisfies the conditions in paragraph (8C) and (8D)

- b) in any other case, satisfies the conditions set out in paragraph (8D) and who, for a period of at least 10 years immediately preceding the date when the licence is granted has:
  - i. been free from any epileptic seizure
  - ii. has not been prescribed any medication to treat epilepsy.

continued

- (8B) An isolated seizure is prescribed for the purposes of section 92(2) of the Traffic Act 1988 as a relevant disability, in relation to an applicant for, or a holder of, a Group 2 licence, where during the previous 5 year period, such a seizure has occurred, or that person has been prescribed medication to treat epilepsy or a seizure.
- (8C) An isolated seizure is prescribed for the purposes of section 92(4) b) of the Traffic Act 1988 in relation to an applicant for a Group 2 licence who satisfies the conditions set out in paragraph (8D) and who, for a period of at least 5 years immediately preceding the date when the licence is granted:
  - a) has been free from any unprovoked seizure and
  - b) has not been prescribed medication to treat epilepsy or a seizure.
- (8D) The conditions mentioned immediately above are that:
  - a) if required by the Secretary of State, there has been an appropriate medical assessment by a neurologist
  - b) the Secretary of State is satisfied that the driving of a vehicle by the applicant, in accordance with the licence, is not likely to be a source of danger to the public.

# Withdrawal of epilepsy medication

and

This guidance relates only to epilepsy treatment.

During the therapeutic procedure of epilepsy medication being withdrawn by a medical practitioner, the risk of further epileptic seizures should be noted from a medicolegal point of view.

If an epileptic seizure does occur, the patient will need to satisfy driving licence regulations before resuming driving and will need to be counselled accordingly.

It is clearly recognised that withdrawal of epilepsy medication is associated with a risk of seizure recurrence. A number of studies have shown this, including a randomised study of withdrawal in patients in remission conducted by the Medical Research Council's study group on epilepsy drug withdrawal. This study showed a 40% increased risk of seizure associated with the first year of withdrawal compared with continued treatment.

The Secretary of State for Transport's Honorary Medical Advisory Panel on Driving and Disorders of the Nervous System states that patients should be warned of the risk they run, both of losing their driving licence and of having a seizure that could result in a road traffic accident.

The Advisory Panel states that drivers should usually be advised not to drive from the start of the withdrawal period and for 6 months after treatment cessation - it considers that a person remains as much at risk of seizure during the withdrawal as during the following 6 months.

This advice may not be appropriate in every case, however. One specific example is withdrawal of anticonvulsant medication when there is a well-established history of seizures only while asleep.

In such cases, any restriction on driving is best determined by the physicians concerned, after considering the history. It is the patient's legal duty to comply with medical advice on driving.

It is important to remember that the epilepsy regulations remain relevant in cases of medication being omitted as opposed to withdrawn, such as on admission to hospital.

For changes of medication, for example due to side effect profiles, the following general advice is applicable:

- When changing from one medication to another and both would be reasonably expected to be equally efficacious, then no period of time off driving is recommended.
- When the new medication is felt to be less efficacious than the previous medication, the 6 months off driving period is recommended. This time period would start from the end of the change over period.

#### Provoked seizures

For Group 1 car and motorcycle, and possibly Group 2 bus and lorry categories, provoked or acute symptomatic seizures may be dealt with on an individual basis by the DVLA if there is no previous unprovoked seizure history.

Unprovoked seizures associated with alcohol or drug misuse, sleep deprivation or a structural abnormality are not considered provoked for licensing purposes. Similarly, reports of seizure as a side-effect of prescribed medication will not be considered as provoked and will require 6 months off driving for Group 1 driving and 5 years for Group 2 licensing. Multiple medication-induced seizures would not normally be classified as epilepsy for the purposes of driver licensing.

For seizure with alcohol or illicit drugs, see Chapter 5, page 85.

Doctors may wish to advise patients that the likely total period of time they will be required by the DVLA not to drive will be influenced by, among other things:

whether it is clear that the seizure has been provoked by a stimulus that does not convey any risk of recurrence and does not represent an unmasking of an underlying liability

#### and

whether the stimulus has been appropriately managed or is unlikely to occur at the

In the absence of any previous seizure history or previous cerebral pathology, the following seizures may also be treated as provoked:

- eclamptic seizures
- reflex anoxic seizures
- seizure in the first week following a head injury
- at the time of a stroke or TIA, or within the ensuing 24 hours
- during intracranial surgery or the ensuing 24 hours
- associated with severe electrolyte disturbance.

# **Appendix C**

# Cardiovascular considerations

### Group 1 car and motorcycle and Group 2 bus and lorry entitlements

#### Medication

If drug treatment for any cardiovascular condition is required, any adverse effects likely to affect safe driving will necessitate the licence being refused or revoked.

# Group 2 bus and lorry entitlement only

#### Licence duration

A bus or lorry licence issued after cardiac assessment – usually for ischaemic or untreated heart valve disease – will usually be short-term, for a maximum licence duration of 3 years, and licence renewal will require satisfactory medical reports.

### Exercise tolerance testing

The DVLA no longer requires regular anti-anginal medication (i.e., nitrates, bete blockers, calcium channel blockers, nicorandil, ivabradine and ranolazine prescribed for anti-anginal purposes) to be stopped prior to exercise tolerance testing. When any of these drugs are prescribed purely for the control of hypertension or an arrhythmia, then discontinuation prior to exercise testing is not required. The requirements for exercise evaluation are:

- 1. The test must be on a bicycle (cycling for 10 minutes with 20 W per minute increments, to a total of 200 W) or treadmill.
- 2. The patient should be able to complete 3 stages of the standard Bruce protocol or equivalent safely, while remaining free of signs of cardiovascular dysfunction, viz:
  - angina pectoris
  - syncope
  - hypotension.
- 3. There must be no sustained ventricular tachycardia and/or electrocardiographic ST segment shift (usually of not more than 2 mm horizontal or down-sloping) that is interpreted by a cardiologist as indicative of myocardial ischaemia, either during exercise or the recovery period.

Should atrial fibrillation develop de novo during exercise testing, the licensing requirements will be the same as for individuals with pre-existing atrial fibrillation that is, provided all the DVLA exercise tolerance test criteria above are met, licensing will be subject to echocardiogram and confirmation of left ventricular ejection fraction of at least 40%.

The DVLA will require exercise evaluation at regular intervals not to exceed 3 years if there is established coronary heart disease.

### Chest pain of uncertain cause (angina not yet excluded)

Exercise testing should be performed as outlined above.

Individuals with a locomotor or other disability who cannot undergo or comply with the exercise test requirements will require a gated myocardial perfusion scan or stress echo study accompanied when required by specialist cardiological opinion.

### Stress myocardial perfusion scan or stress echocardiography

When the DVLA requires these imaging tests, the relevant licensing standards are as follows, provided the LV ejection fraction is 40% or more:

no more than 10% of the myocardium is affected by reversible ischaemic change on myocardial perfusion imaging

or

no more than one segment is affected by reversible ischaemic change on stress echocardiography.

Full DVLA protocol requirements for these tests are available on request (see contact details on page 14).

# Coronary angiography

For licensing purposes, the DVLA considers functional implication to be more predictive than anatomical findings in coronary artery disease. 'Predictive' refers to the risk of an infarct within 1 year. Grafts are considered as 'coronary arteries'.

For this reason, exercise tolerance testing and, where necessary, myocardial perfusion imaging or stress echocardiography are the investigations of relevance (outlined above) with the standards as indicated to be applied.

Angiography is therefore not commissioned by the DVLA.

If there is a conflict between the results of the functional test and a recent angiography, the case will be considered individually. Licensing will not normally be granted, however, unless the coronary arteries are unobstructed or the stenosis is not flow-limiting. The LV ejection fraction must also be at least 40%.

### Hypertrophic cardiomyopathy and exercise tolerance testing

For the purpose of assessing hypertrophic cardiomyopathy, the DVLA would consider an exercise tolerance test (see above) falling short of 9 minutes acceptable provided:

- there is no obvious cardiac cause for stopping the test in under 9 minutes
- there is a rise of at least 25mm Hg in systolic blood pressure during exercise testing
- all other requirements are met as outlined under hypertrophic cardiomyopathy (page 60).

# Marfan syndrome: aortic root replacement

The DVLA will refuse or revoke a licence if there has been:

- emergency aortic root surgery
- elective aortic root surgery associated with complications or high risk factors for example, aortic root, valve and arch (including de-branching) surgery, external aortic support operation.

A bus or lorry licence for annual review may be issued in elective aortic root replacement surgery provided:

- surgery is successful without complications
- there is satisfactory regular specialist follow-up
- no evidence of suture-line aneurysm postoperatively and on 2-yearly MRI or CT surveillance following valve-sparing surgery for root replacement plus valve replacement.

#### Severe aortic stenosis

'Severe' is defined (European Society of Cardiology guidelines) as:

aortic valve area - less than 1cm<sup>2</sup>

or


less than 0.6cm²/m² body surface area (BSA)

■ mean aortic pressure gradient – greater than 40mmHg

maximum jet velocity - greater than 4 metres/second.

#### Introduction of the ESC HCM Risk-SCD Calculator

Use this **calculator** to assess HCM risk.



# **Appendix D**

INF188/2 leaflet 'Information for drivers with diabetes' and DIABINF leaflet 'A guide to insulin treated diabetes and driving'





Information for drivers with diabetes treated by non insulin medication, diet, or both.

Please keep this leaflet safe so you can refer to it in the future

Drivers do not need to tell us if their diabetes is treated by tablets, diet, or both and they are free of the complications listed over the page.

Some people with diabetes develop associated problems that may affect their driving.





2/16

Ref: Tab1

Appendix D: INF188/2 leaflet 'Information for drivers with diabetes' and DIABINF leaflet 'A guide to insulin treated diabetes and driving'

# Hypoglycaemia (low blood sugar)

Hypoglycaemia (also known as a hypo) is the medical term for a low blood glucose (sugar) level.

Severe hypoglycaemia means the assistance of another person is required. The risk of hypoglycaemia is the main danger to safe driving and can occur with diabetes treated with insulin or tablets or both. This may endanger your own life as well as that of other road users. Many of the accidents caused by hypoglycaemia are because drivers carry on driving even though they get warning symptoms of hypoglycaemia. If you get warning symptoms of hypoglycaemia while driving you must stop as soon as safely possible - do not ignore the warning symptoms.

### Early symptoms of Hypoglycaemia include:

 Sweating, shakiness or trembling, feeling hungry, fast pulse or palpitations, anxiety, tingling lips.

If you don't treat this it may result in more severe symptoms such as:

Slurred speech, difficulty concentrating, confusion, disorderly or irrational behaviour, which may be mistaken for drunkeness.

If left untreated this may lead to unconsciousness.

#### What you need to tell us about

By law you must tell us if any of the following applies:

- You suffer more than one episode of severe hypoglycaemia within the last 12 months. You must also tell us if you or your medical team feel you are at high risk of developing severe hypoglycaemia. For Group 2 drivers (bus/lorry), one episode of severe hypoglycaemia must be reported immediately.
- You develop impaired awareness of hypoglycaemia. (Difficulty in recognising the warning symptoms of low blood sugar).
- You suffer severe hypoglycaemia while driving.
- You need treatment with insulin.
- You need laser treatment to both eyes or in the remaining eye if you have sight in one eye only.
- You have problems with vision in both eyes, or in the remaining eye if you have sight in one eye only. By law, you must be able to read, with glasses or contact lenses if necessary, a car number plate in good daylight at 20 metres. In addition, the visual acuity (with the aid of glasses or contact lenses if worn) must be at least 6/12 (0.5 decimal) with both eyes open, or in the only eye if monocular.

Appendix D: INF188/2 leaflet 'Information for drivers with diabetes' and DIABINF leaflet 'A guide to insulin treated diabetes and driving'

- You develop any problems with the circulation, or sensation in your legs or feet which makes it necessary for you to drive certain types of vehicles only, for example automatic vehicles, or vehicles with a hand operated accelerator or brake. This must be shown on your driving licence.
- An existing medical condition gets worse or you develop any other condition that may affect your driving safely.

In the interests of road safety, you must be sure that you can safely control a vehicle at all times.

#### How to tell us

If your doctor, specialist or optician tells you to report your condition to us, you need to fill in a Medical Questionnaire about diabetes (DIAB1). You can download this from

www.gov.uk/driving-medical-conditions

Phone: 0300 790 6806.

Write to:

**Drivers Medical Group** Swansea **SA99 1TU** 

#### **Useful address**

**Diabetes UK Central Office** 

Macleod House 10 Parkway London NW1 7AA

**Diabetes UK** Website: www.diabetes.org.uk

Find out about DVLA's online services

Go to: www.gov.uk/browse/driving



Appendix D: INF188/2 leaflet 'Information for drivers with diabetes' and DIABINF leaflet 'A guide to insulin treated diabetes and driving'

-The applicant or licence holder must notify DVLA unless stated otherwise in the text

#### DIABINF

#### A Guide to Insulin Treated Diabetes and Driving

Drivers who have any form of diabetes treated with any insulin preparation must inform DVLA (Caveat: See Temporary Insulin Treatment)

#### HYPOGLYCAEMIA

Hypoglycaemia (also known as a hypo) is the medical term for a low blood glucose (sugar) level.

Severe hypoglycaemia means the assistance of another person is required.

The risk of hypoglycaemia is the main danger to safe driving and this risk increases the longer you are on insulin treatment. This may endanger your own life as well as that of other road users. Many of the accidents caused by hypoglycaemia are because drivers carry on driving even though they get warning symptoms of hypoglycaemia . If you get warning symptoms of hypoglycaemia whilst driving, you must always stop as soon as safely possible - do not ignore the warning symptoms.

#### EARLY SYMPTOMS OF HYPOGLYCAEMIA INCLUDE:

Sweating, shakiness or trembling, feeling hungry, fast pulse or palpitations, anxiety, tingling lips.

If you don't treat this it may result in more severe symptoms such as:

Slurred speech, difficulty concentrating, confusion, disorderly or irrational behaviour, which may be mistaken for drunkenness.

If left untreated this may lead to unconsciousness.

#### DRIVERS WITH INSULIN TREATED DIABETES ARE ADVISED TO TAKE THE FOLLOWING PRECAUTIONS.

- You should always carry your glucose meter and blood glucose strips with you. You should check your blood glucose no more than 2 hours before the start of the first journey and every two hours whilst you are driving. If driving multiple short journeys, you do not necessarily need to test before each additional journey as long as you test every 2 hours while driving. More frequent testing may be required if for any reason there is a greater risk of hypoglycaemia for example after physical activity or altered meal routine. The intention is to ensure that blood glucose is always above 5.0mmol/l while driving.
- In each case if your blood glucose is 5.0mmol/l or less, take a snack. If lt is less than 4.0mmol/l or you feel hypoglycaemic, do not drive.
- If hypoglycaemia develops while driving, stop the vehicle as soon as possible.
- You should switch off the engine, remove the keys from the ignition and move from the driver's seat.
- You should not start driving until 45 minutes after blood glucose has returned to normal (confirmed by measuing blood glucose). It takes up to 45 minutes for the brain to recover fully.
- Always keep an emergency supply of fast-acting carbohydrate such as glucose tablets or sweets within easy
- You should carry personal identification to show that you have diabetes in case of injury in a road traffic accident.
- Particular care should be taken during changes of insulin regimens, changes of lifestyle, exercise, travel and
- You must take regular meals, snacks and rest periods on long journeys. Always avoid alcohol.

#### EYESIGHT

All drivers are required by law to read, in good daylight (with glasses or corrective lenses if necessary), a car number plate from a distance of 20 metres. In addition, the visual acuity (with the aid of glasses or contact lenses if worn) must be at least 6/12 (0.5 decimal) with both eyes open, or in the only eye if monocular.

#### LIMB PROBLEMS

Limb problems/amputations are unlikely to prevent driving. They may be overcome by driving certain types of vehicles e.g. automatics or one with hand controls.

#### YOU MUST INFORM DVLA IF:

- You suffer more than one episode of severe hypoglycaemia (needing the assistance of another person) within the last 12 months. For Group 2 drivers (bus/lorry) one episode of severe hypoglycaemia must be reported immediately. You must also tell us if you or your medical team feels you are at high risk of developing hypoglycaemia.
- You develop impaired awareness of hypoglycaemia. (difficulty in recognising the warning symptoms of low blood
- You suffer severe hypoglycaemia while driving.
- An existing medical condition gets worse or you develop any other condition that may affect you driving safely.

#### CONTACT US

Web site: www.gov.uk/browse/driving

Tel: 0300 790 6806 (8.00am. to 5.30pm. Mon - Fri) & (8.00 am. to 1pm. Saturday)

Write: Drivers' Medical Group, DVLA, Swansea SA99 1TU For further informations on diabetes visit www.diabetes.org.uk

# Appendix E

# Important notes concerning psychiatric disorders

### All mental health symptoms must be considered

Any psychiatric condition that does not fit neatly into the classifications in Chapter 4 will need to be reported to the DVLA if it is causing or is considered likely to cause symptoms that would affect driving.

Such symptoms include, for example:

- any impairment of consciousness or awareness
- any increased liability to distraction
- or any other symptoms affecting the safe operation of the vehicle.

The patient should be advised to declare both the condition and the symptoms of concern.

It is the relationship of symptoms to driving that is of importance.

The Third Driving Licence Directive 2006/126/EC requires member states to set minimum medical standards of fitness to drive and sets out the requirements for mental health in broad terms:

- the laws make a clear distinction between the standards for Group 1 car and motorcycle, and Group 2 bus and lorry licensing. The standards for the latter are more stringent because of the size of the vehicles and the greater amounts of time spent at the wheel by occupational drivers
- severe mental disorder is a prescribed disability for the purposes of section 92 of the Road Traffic Act 1988. Regulations define "severe mental disorder" as including mental illness, arrested or incomplete development of the mind, psychopathic disorder, and severe impairment of intelligence or social functioning
- the laws require that standards of fitness to drive must reflect, not only the need for an improvement in the mental state, but also a period of stability, such that the risk of relapse can be assessed should the patient fail to recognise any deterioration
- misuse of or dependence on alcohol or drugs are cases that require consideration of the standards in Chapter 5 (page 85) in addition to those for psychiatric disorders in Chapter 4.

#### Medications

Section 4 of the Road Traffic Act 1988 does not differentiate between illicit and prescribed drugs.

Any person driving or attempting to drive on a public highway or other public place while unfit due to any drug is liable for prosecution.

- All drugs with an action on the central nervous system can impair alertness, concentration and driving performance.
- This is of particular relevance at the initiation of treatment, or soon after, and also when dosage is being increased. Anyone who is adversely affected must not drive.

- It should be taken into account when planning the treatment of a patient who is a professional driver that the older tricyclic antidepressants can have pronounced anticholinergic and antihistaminic effects, which may impair driving, whereas the more recently developed antidepressants may have fewer such effects.
- Antipsychotic drugs, including depot preparations, can cause motor or extrapyramidal effects as well as sedation or poor concentration. These effects, either alone or in combination, may be sufficient to impair driving, and careful clinical assessment is required.
- The epileptogenic potential of psychotropic medication should be given particular consideration in patients who are professional drivers.
- Benzodiazepines are the psychotropic medications most likely to impair driving performance – the long-acting compounds in particular – and alcohol will potentiate effects.
- Doctors have a duty of care to advise their patients of the potential dangers of adverse effects from medications and their interactions with other substances, especially alcohol.

# **Electroconvulsive therapy**

The likely severity of the underlying condition requiring electroconvulsive therapy (ECT) means the driver should be advised that they must notify the DVLA.

Electroconvulsive therapy is usually employed in the context of an acute intervention for a severe depressive illness or, less commonly, as longer-term maintenance therapy.

In both courses, it is the severity of the underlying mental health condition that is of prime importance to the determination of whether driving may be permitted.

A seizure induced by ECT is regarded as provoked for the purposes of fitness to drive and is not a bar to licensing and driving - under both Group 1 car and motorcycle, and Group 2 bus and lorry.

The concerns for driving are:

- severity of the underlying illness requiring ECT treatment
- potential cognitive or memory disturbances associated with both the underlying depression and the ECT therapy.

Driving must stop during an acute course of treatment with ECT and is not permitted until the relevant medical standards and observation periods associated with underlying conditions have been met, as set out in Chapter 4 (page 76) and with respect to any other mental health symptoms or psychiatric conditions that do not fit neatly into classifications.

Again, this guidance must stress that the underlying condition and response to treatment are what determine licensing and driving.

Where ECT is used as maintenance treatment with a single treatment sometimes given weeks apart there may be minimal or no symptoms. This would not affect driving or licensing providing there is no relapse of the underlying condition.

Driving must stop for 48 hours following the administration of an anaesthetic agent.

# Appendix F

# Disabilities and vehicle adaptations

### Group 1 car and motorcycle

Driving often remains possible with certain adjustments for a disability, whether for a static and progressive disorder or a relapsing one. These vehicle modifications may be needed for:

- permanent limb and spinal disabilities for example, amputation, hemiplegia, cerebral palsy, ankylosing spondylitis, or severe arthritis (especially with pain)
- chronic neurological disorders for example, multiple sclerosis, Parkinson's disease, motor neurone disease, or peripheral neuropathy

Vehicle adaptations range from simple automatic transmission for many disorders, to sophisticated modifications such as joysticks and infrared controls for people with severe disabilities.

The DVLA will need to know about a disability and whether any controls require modification, and will ask the patient to complete a simple questionnaire.

The driving licence is coded to reflect any vehicle modifications.

Assessment centres offer people advice about driving with a disability (these are listed in Appendix G).

Note that a person in receipt of the mobility component of Personal Independence Payment can hold a driving licence from 16 years of age. (A person can't apply for PIP until their 16th birthday.)

# Group 2 bus and lorry

Some disabilities, if mild and non-progressive, may be compatible with driving large vehicles. The DVLA needs to be notified and will require an individual assessment.

#### Mobility scooters and powered wheelchairs

Users of Class 2 or 3 mobility vehicles – which are limited on the road to 4 mph or 8 mph - are not required to hold a driving licence, and they do not need to meet the medical standards for driving motor vehicles. The DVLA recommends the following, however:

- individuals with a medical condition that may affect their ability to drive these mobility vehicles should consult their GP first
- users should be able to read a car number plate from a distance of 12.3 metres.

More details are at <u>GOV.UK</u> – see **Mobility scooters and powered wheelchairs: the rules**.

# **Appendix G**

# **Mobility Centres and Driving Assessment Centres**

# **The Forum of Mobility Centres**

Telephone: 0800 559 3636 / www.mobility-centres.org.uk

It is the relationship of symptoms to driving that is of importance.

# Key to the facilities available at the Centres Free information service for people with disabilities and older people, their families ı and professionals. Advice regarding vehicle adaptation, ability to learn, continue or return to driving. D Assessment and advice for passengers getting in and out of vehicles and about safe Ρ loading of wheelchairs and other equipment. Advice regarding the selection and use of wheelchairs (powered and manually propelled) W and scooters. Driving tuition for novice drivers, those returning to driving after a break and those Т changing to a different method of vehicle control. Α Fitting of car adaptations for both drivers and passengers with disabilities. G Advice and assessment for drivers with disabilities who wish to drive buses or lorries. M Advice and assessment for disabled riders who want to learn or return to biking.

Centre location Incorporating satellite centres	Contact details	Address	Facilities and services
Belfast Colleraine Ballymena Newry Dungannon Omagh Enniskillen Derry/Londonderry	Tel: 028 9029 7877 Fax: 028 9029 7881 mobilitycentre@ disabilityaction.org www.disabilityaction.org	Northern Ireland Mobility Centre Disability Action Portside Business Park 189 Airport Road West Belfast BT3 9ED	IDPTG
Birmingham Cannock Staffordshire Hull East Yorkshire Leamington Warwickshire Oxford Oxon Northampton Worcester	Tel: 0845 337 1540 Fax: 0121 333 4568 info@rdac.co.uk www.rdac.co.uk	Regional Driving Assessment Centre Unit 11 Network Park Duddeston Mill Road Saltley Birmingham B8 1AU	IDPT
Bodelwyddan  Newtown Powys	Tel: 01745 584 858 Fax: 01745 535 042 mobilityinfo@btconnect.com www.wmdas.co.uk	North Wales Mobility & Driving Assessment Service The Disability Resource Centre Glan Clwyd Hospital Bodelwyddan Denbighshire LL18 5UJ	IDPTAWG
Bristol Sparkford Somerset	Tel: 0117 965 9353 Fax: 0117 965 3652 mobserv@drivingandmobility.org www.drivingandmobility.org	Driving and Mobility Centre, West of England The Vassall Centre Gill Avenue Fishponds Bristol BS16 2QQ	IDPWT
Cardiff Pembroke Dock Dyfed	Tel: 02920 555130 Fax: 02920 555130 helen@wddac.co.uk www.wmdas.co.uk	South Wales Mobility & Driving Assessment Service Rookwood Hospital Fairwater Road Llandaff Cardiff CF5 2YN	IDPGT

Centre location Incorporating satellite centres	Contact details	Address	Facilities and services
Carshalton	Tel: 020 8770 1151 Fax: 020 8770 1211 info@qef.org.uk www.qef.org.uk	QEF Mobility Services  1 Metcalfe Avenue Carshalton Surrey SM5 4AW	IDWTMGP advice on electric scooters & wheelchairs (not manuals) T also training course
Derby	Tel: 01332 371929 Fax: 01332 382377 driving@derbyhospitals.nhs.uk www.derbydrivability.com	Derby DriveAbility Kingsway Hospital Kingsway Derby DE22 3LZ	IDPT
Edinburgh  Aberdeen Inverness Dundee Paisley Irvine Dumfries	Tel: 0131 537 9192 Fax: 0131 537 9193 marlene.mackenzie@nhslothian. scot.nhs.uk	Scottish Driving Assessment Service Astley Ainslie Hospital 133 Grange Loan Edinburgh EH9 2HL	IDP
Leeds ■ York ■ North Yorkshire	Tel: 0113 350 8989 Fax: 0113 350 8681 info@wmdlc.org www.wmdlc.org	William Merritt Disabled Living Centre & Mobility Service St Mary's Hospital Green Hill Road Armley Leeds LS12 3QE	IDPWT
Maidstone ■ Thannington nr Canterbury ■ Swanscombe nr Greenhithe Uckfield	Tel: 0300 0134 886 Fax: 0300 0134 887 kcht.sedrviveability@nhs.net www.kentcht.nhs.uk/our- services/south-east-driveability- west-kent/	South East DriveAbility The First Floor Aylesford Logistics Centre Bellingham Way Aylesford Kent ME20 6XS	IDPT
Newcastle-upon- Tyne ■ Penrith ■ Cumbria	Tel: 0191 287 5090 northeast.drivemobility@ntw.nhs.uk www.ntw.nhs.uk	North East Driver Mobility Northumberland, Tyne & Ware NHS Foundation Trust Walkergate Park Centre for neuro-rehabilitation & neuro-psychiatry Benfield Road Newcastle-upon-Tyne NE6 4QD	IDPT

Centre location Incorporating satellite centres	Contact details	Address	Facilities and services
Oxford	Tel: 0845 337 1540 Fax: 0121 333 4568 info@rdac.co.uk www.rdac.co.uk	c/o Regional Driving Assessment Centre Unit 11 Network Park Duddeston Mill Road Saltley Birmingham B8 1AU	IDPT
St Helens	Tel: 01942 483 713 Fax: 01942 483 173 mobility.centre@bridgewater. nhs.uk www.bridgewater.nhs.uk/ northwestwide/northwestdriving assessmentservice	North West Driving Assessment Centre Fleet House Pye Close Haydock St Helens Lancashire WA11 9SJ	IDPT
Southampton  Salisbury Wiltshire Newport Isle of Wight Basingstoke	Tel: 023 8051 4100 enquiries@wessexdriveability. org.uk www.wessexdriveability.org.uk	Wessex DriveAbility Loernain House Portswood Southampton SO17 2LJ	IDP
Thetford ■ Colchester ■ Essex & Spalding ■ Lincs	Tel: 01842 753 029 Fax: 01842 755 950 info@eastangliandriveability.org.uk www.eastangliandriveability.org.uk	East Anglian DriveAbility 2 Napier Place Thetford Norfolk IP24 3RL	IDPWMT
Truro  Exeter Holsworthy Plymouth Devon Liskeard	Tel: 01872 254920 Fax: 01872 254921 info@cornwallmobility.co.uk www.cornwallmobility.co.uk	Cornwall Mobility Centre North Buildings Royal Cornwall Hospital Truro Cornwall TR1 3LJ	IDPWTA  (Also, wheelchair repairs, independent living and drop in centre)
Welwyn Garden City ■ Dunstable	Tel: 01707 324 581 Fax: 01707 371 297 driving@hadnet.org.uk www.hadnet.org.uk	Hertfordshire Action on Disability Mobility Centre The Woodside Centre The Commons Welwyn Garden City Hertfordshire AL7 4DD	IDPWT

# INDEX

# Α

# Abscess (intracerebral)

Chapter 1 (neurological disorders)

#### Acoustic neuroma/schwannoma

Chapter 1 (neurological disorders)

### Acuity

Chapter 6 (visual disorders)

### Acute coronary syndromes

Chapter 2 (cardiovascular disorders)

# Acute encephalitic illness and meningitis

Chapter 1 (neurological disorders)

### Acute psychotic disorders of any type

Chapter 4 (psychiatric disorders)

### Age (older drivers)

Chapter 8 (miscellaneous conditions)

#### AIDS and HIV infection

Chapter 8 (miscellaneous conditions)

#### Alcohol misuse/dependence

Chapter 5 (drug or alcohol misuse or dependency)

#### Alcohol seizures/disorders

Chapter 5 (drug or alcohol misuse or dependency)

# Alzheimer's disease

Chapter 4 (psychiatric disorders)

### Amaurosis fugax

Chapter 1 (neurological disorders)

#### **Ambulance drivers**

General information

#### Aneurysm (aortic)

Chapter 2 (cardiovascular disorders)

#### Angina (stable or unstable)

Chapter 2 (cardiovascular disorders)

## Angiography (coronary)

Chapter 2 (cardiovascular disorders)

#### **Anxiety**

Chapter 4 (psychiatric disorders)

#### **Aortic dissection (chronic)**

Chapter 2 (cardiovascular disorders)

### **Arachnoid cysts**

Chapter 1 (neurological disorders)

#### **Arrhythmias**

Chapter 2 (cardiovascular disorders)

# Arrhythmogenic right ventricular cardiomyopathy (ARVC)

Chapter 2 (cardiovascular disorders)

#### **Arteriovenous malformation**

Chapter 1 (neurological disorders)

# Asperger's syndrome

Chapter 4 (psychiatric disorders)

#### **Asthma**

Chapter 7 (renal and respiratory disorders)

#### Atrial defibrillator

Chapter 2 (cardiovascular disorders)

# Attention deficit hyperactivity disorder (ADHD)

Chapter 4 (psychiatric disorders)

#### Autism

Chapter 4 (psychiatric disorders)

#### **Autistic spectrum disorder**

Chapter 4 (psychiatric disorders)

# В

# **Behavioural disorders**

Chapter 4 (psychiatric disorders)

#### Benign infratentorial tumour

Chapter 1 (neurological disorders)

#### Benign supratentorial tumour

Chapter 1 (neurological disorders)

#### **Bipolar illness**

Chapter 4 (psychiatric disorders)

#### Blepharospasm

Chapter 6 (visual disorders)

#### **Brain tumours**

C

**Cancers** 

Chapter 8 (miscellaneous conditions)

Carcinoma of lung

Chapter 7 (renal and respiratory disorders)

Cardiac resynchronisation therapy

Chapter 2 (cardiovascular disorders)

Cardiomyopathy (hypertrophic)

Chapter 2 (cardiovascular disorders)

Cardiomyopathy (dilated)

Chapter 2 (cardiovascular disorders)

**Carotid artery stenosis** 

Chapter 1 (neurological disorders)

**Cataract** 

Chapter 6 (visual disorders)

**Catheter ablation** 

Chapter 2 (cardiovascular disorders)

**Cavernous malformation** 

Chapter 1 (neurological disorders)

Chronic neurological disorders

Chapter 1 (neurological disorders)

Chronic renal failure

Chapter 7 (renal and respiratory disorders)

Chronic subdural

Chapter 1 (neurological disorders)

Chronic obstructive pulmonary disease (COPD)

Chapter 7 (renal and respiratory disorders)

**Colour blindness** 

Chapter 6 (visual disorders)

**Colloid cysts** 

Chapter 1 (neurological disorders)

Congenital heart disease

Chapter 2 (cardiovascular disorders)

Continuous ambulatory peritoneal dialysis (CAPD)

Chapter 7 (renal and respiratory disorders)

Coronary angiography

Chapter 2 (cardiovascular disorders)

Coronary artery bypass graft (CABG)

Chapter 2 (cardiovascular disorders)

Cough syncope

Chapter 1 (neurological disorders)

Craniectomy and subsequent cranioplasty

Chapter 1 (neurological disorders)

D

**Defibrillator – cardioverter** 

Chapter 2 (cardiovascular disorders)

**Deafness** 

Chapter 8 (miscellaneous conditions)

**Dementia** 

Chapter 4 (psychiatric disorders)

**Depression** 

Chapter 4 (psychiatric disorders)

**Developmental disorders** 

Chapter 4 (psychiatric disorders)

**Diabetes** 

Chapter 3 (diabetes mellitus)

Diabetes leaflet (INF188/2)

Appendix D

**Diplopia** 

Chapter 6 (visual disorders)

**Disabled drivers** 

Appendix F (disabilities and vehicle adaptations)

Disabled driving assessment centres

Appendix G (Mobility Centres and Driving Assessment Centres)

**Dizziness** 

Chapter 1 (neurological disorders)

**Driving after surgery** 

General information

Drug misuse/dependency

Chapter 5 (drug or alcohol misuse or dependency)

**Dural AV fistula** 

Chapter 1 (neurological disorders)

**DVLA** contact details

General information

E

**ECG** abnormality

Chapter 2 (cardiovascular disorders)

**Eclamptic seizures** 

Chapter 1 (neurological disorders)

**Encephalitic illness** 

Chapter 1 (neurological disorders)

**Epilepsy** 

Chapter 1 (neurological disorders)

**Epilepsy regulations** 

Chapter 1 (neurological disorders)

Exercise tolerance test (ETT) and hypertrophic cardiomyopathy

Chapter 2 (cardiovascular disorders)

**Excessive sleepiness** 

Chapter 8 (miscellaneous conditions)

**Exercise testing** 

Chapter 2 (cardiovascular disorders)

Extraventricular drain

Chapter 1 (neurological disorders)

F

Field of vision requirements

Chapter 6 (visual disorders)

G

Glaucoma

Chapter 6 (visual disorders)

**Gliomas** 

Chapter 1 (neurological disorders)

Н

Haematoma – intracerebral

Chapter 1 (neurological disorders)

**Healthcare vehicle drivers** 

General information

**Head injury – traumatic** 

Chapter 1 (neurological disorders)

**Heart failure** 

Chapter 2 (cardiovascular disorders)

Heart/heart lung transplant

Chapter 2 (cardiovascular disorders)

Heart valve disease

Chapter 2 (cardiovascular disorders)

Hemianopia

Chapter 6 (visual disorders)

High risk offender scheme

Chapter 5 (drug or alcohol misuse or dependency)

**HIV** infection

Chapter 8 (miscellaneous conditions)

Huntington's disease

Chapter 1 (neurological disorders)

Appendix F (disabled drivers and vehicle adaptations)

**Hydrocephalus** 

Chapter 1 (neurological disorders)

**Hypertension** 

Chapter 2 (cardiovascular disorders)

Hypertrophic cardimyopathy

Chapter 2 (cardiovascular disorders)

Hypoglycaemia

Chapter 8 (miscellaneous conditions)

Hypomania/mania

Chapter 4 (psychiatric disorders)

Impairment due to medication

General information

Impairment of cognitive function

Chapter 8 (miscellaneous conditions)

Impairment secondary to multiple medical conditions

General information

Implantable cardioverter defibrillator (ICD)

Chapter 2 (cardiovascular disorders)

Implanted electrodes

Chapter 1 (neurological disorders)

Infratentorial AVMs

Chapter 1 (neurological disorders)

Intracerebral abscess

Chapter 1 (neurological disorders)

Intracranial pressure monitor

#### Intraventricular shunt

Chapter 1 (neurological disorders)

#### Isolated seizure

Chapter 1 (neurological disorders)

### L

### Learning disability

Chapter 4 (psychiatric disorders)

#### Left bundle branch block

Chapter 2 (cardiovascular disorders)

# Left ventricular assist devices

Chapter 2 (cardiovascular disorders)

# Loss of consciousness/loss of or altered awareness

Chapter 1 (neurological disorders)

# M

### **Malignant tumours**

Chapter 1 (neurological disorders)

# Marfan syndrome

Chapter 2 (cardiovascular disorders)

#### Meningioma

Chapter 1 (neurological disorders)

#### **Meningitis**

Chapter 1 (neurological disorders)

#### Mild cognitive impairment (MCI)

Chapter 4 (psychiatric disorders)

#### Monocular vision

Chapter 6 (visual disorders)

#### Motor cortex stimulator

Chapter 1 (neurological disorders)

#### Motor neurone disease

Chapter 1 (neurological disorders) and Appendix F (disabled drivers and vehicle adaptations)

### Multiple sclerosis

Chapter 1 (neurological disorders)

#### Muscle disorders

Chapter 1 (neurological disorders)

#### **Myocardial infarction**

Chapter 2 (cardiovascular disorders)

# N

# **Neuroendoscopic procedures**

Chapter 1 (neurological disorders)

### **Night blindness**

Chapter 6 (visual disorders)

### Non-epileptic seizure attacks

Chapter 1 (neurological disorders)

# O

# Obstructive sleep apnoea syndrome

Chapter 8 (miscellaneous conditions)

### Organic brain syndrome

Chapter 4 (psychiatric disorders)

### Pacemaker implant

Chapter 2 (cardiovascular disorders)

#### Parkinson's disease

Chapter 1 (neurological disorders)

#### Percutaneous coronary intervention

Chapter 2 (cardiovascular disorders)

### Peripheral arterial disease

Chapter 2 (cardiovascular disorders)

#### Peripheral neuropathy

Chapter 3 (diabetes mellitus)

#### Personality disorder

Chapter 4 (psychiatric disorders)

### Pituitary tumour

Chapter 1 (neurological disorders)

#### Police vehicle drivers

General information

## **Pre-excitation**

Chapter 2 (cardiovascular disorders)

#### Primary/central hypersomnias

#### Provoked seizures

Chapter 1 (neurological disorders)

#### **Psychiatric notes**

Chapter 4 (psychiatric disorders)

#### **Psychosis**

Chapter 4 (psychiatric disorders)

# R

### Reflex vasovagal syncope

Chapter 1 (neurological disorders)

#### Renal disorders

Chapter 7 (renal and respiratory disorders)

#### Respiratory disorders

Chapter 7 (renal and respiratory disorders)

# S

### Schizophrenia

Chapter 4 (psychiatric disorders)

#### Seizures

Chapter 1 (neurological disorders) Chapter 5 (drug or alcohol misuse or dependency)

#### Serious neurological disorders

Chapter 1 (neurological disorders)

# Spontaneous acute subdural haematoma

Chapter 1 (neurological disorders)

### Strokes/TIAs

Chapter 1 (neurological disorders)

#### Subarachnoid haemorrhage

Chapter 1 (neurological disorders)

#### Subdural empyema

Chapter 1 (neurological disorders)

# Substance misuse

Chapter 1 (neurological disorders) Chapter 5 (drug or alcohol misuse or dependency)

Chapter 4 (psychiatric disorders)

### **Supratentorial AVMs**

Chapter 1 (neurological disorders)

# Syncopal attacks

Chapter 2 (cardiovascular disorders) and Chapter 7 (renal and respiratory disorders)

# Т

### Taxi licensing

General information

#### TIA

Chapter 1 (neurological disorders)

#### Transient global amnesia

Chapter 1 (neurological disorders)

### **Transient arrhythmias**

Chapter 2 (cardiovascular disorders)

### Transphenoidal surgery

Chapter 1 (neurological disorders)

# **Traumatic brain injury**

Chapter 1 (neurological disorders)

# U

# Unpaced congenital complete heart block

Chapter 2 (cardiovascular disorders)

#### Valve heart disease

Chapter 2 (cardiovascular disorders)

#### Ventricular cardiomyopathy

Chapter 2 (cardiovascular disorders)

### Visual acuity

Chapter 6 (visual disorders)

#### Visual field defects

Chapter 6 (visual disorders)

#### Visual field requirements

Chapter 6 (visual disorders)

# Withdrawal of epileptic medication

# Assessing fitness to drive

- a guide for medical professionals

#### **DVLA**

Longview Road Morriston Swansea SA6 7JL

www.gov.uk/dvla/fitnesstodrive



#### © Crown copyright - DVLA 1993-2017

This document may be cited in part or in whole for the specific guidance of doctors and patients. However, the document must not be reproduced in part or in whole for commercial purposes.

This guidance is published by the Department for Transport. It describes the law relating to medical aspects of driver licensing. In particular, it advises members of the medical profession on the medical standards that need to be met by individuals to hold licences to drive various categories of vehicle. The Department for Transport has prepared this document on the advice of the Secretary of State's Honorary Advisory Panels of medical specialists.

This document provides the basis on which members of the medical profession advise individuals on whether any particular condition could affect their driving entitlement. It is the responsibility of the individual to report the condition to the DVLA in Swansea.